DESIGN GUIDELINES ASSOCIATION RULES FOR ROGERS RANCH UNIT TWO HOMEOWNERS ASSOCIATION

December 1, 2004

The Design Guidelines/Association Rules (herein "Rules") as set forth in this document, shall interpret and implement procedures for the Design Review Committee's (herein "Committee") review and standards, including, but not limited to, architectural design, placement of buildings, landscaping, plant selection, color schemes, exterior finish and material, signage, and wall design. These documents are intended to enhance property values and high standards of development that exist within Rogers Ranch Unit Two Homeowners Association. Unless specifically identifies as not requiring submittal for approval within this document, prior approval from the Committee is required. The Guidelines are established to assist residents in conforming to the standards established, and amended from time to time, by the Committee. Each application will be reviewed on a case by case basis.

PRIOR TO THE COMMENCEMENT OF CONSTRUCTION OR INSTALLATION, ALL PLANS MUST BE SUBMITTED, IF REQUIRED, TO THE COMMITTEE. APPROVAL TO PROCEED SHALL BE REQUIRED IN WRITING FROM THE COMMITTEE. FOLLOWING THESE GUIDELINES DOES NOT ELIMINATE THE NEED FOR SUBMISSION OF PLANS (UNLESS SPECIFICALLY NOTED).

APPLICATION PROCEDURE Submittal

Application and plans (which will be kept on file with the Association) should be mailed to:

Rogers Ranch Unit Two Homeowners Association c/o Vision Community Management 16625 S Desert Foothill Parkway Phoenix, AZ 85048 Phone: 480-759-4945 / Fax 480-759-8683

The following information should be included with the submittal:

- 1. **Application Form Architectural Design Review Form:** A completed application form (copies may be obtained from the sales or management office).
- 2. **Plot Plan:** A site plan showing dimensions relation to existing dwelling and property lines (setbacks). Measurements must be written on the plans. Plot plans are available at the sales office.
- 3. **Elevation Plans:** Plans showing finished appearance of improvement in relation to existing dwelling.
- 4. **Specifications:** Detailed description of materials to be used and color samples, and dimensions must be submitted.

5. **Photograph:** If submittal is for an existing structure or improvement, a photograph of the structure or improvement must accompany the submittal application.

All buildings, structures and other improvements erected within Rogers Ranch Unit Two Homeowners Association, and the use and appearance of all land within Rogers Ranch Unit Two Homeowners Association, shall comply with all applicable City zoning and code requirements as well as the Declaration and these Rules.

REVIEW - APPROVAL/DISAPPROVAL

The committee shall have sixty (60) days after submittal of plans to approve or disapprove plans. No verbal approvals/disapprovals will be given by the management company. All decisions will be mailed via US Mail.

Review and approval or disapproval will include, but is not limited to, consideration of material, quality of workmanship, colors, and consistency with the external design and color of existing structures on the lot and impact on neighboring lots. The location of the improvement with respect to topography and finished grade elevation is also considered.

Neither the Committee, nor the Board of Directors, nor the Declarant, shall have any liability in connection with or related to approved plans, specifications, or improvements. The approval of the plans does not mean that judgment is passed on the structural soundness of the improvement nor its effect upon existing or future drainage. The review of the plans is for aesthetic purposes only.

Approval Expiration: Construction must be started within 90 days of the date of the Committee's approval of the application or the Committee's approval shall be deemed withdrawn and plans must be resubmitted in accordance with these Rules.

<u>Construction Period</u>: Once started; construction shall be pursued diligently in order to assure prompt completion thereof. Absent a different deadline for completion of construction (which may be shorter or longer, at the Committee's discretion), such construction shall be completed within six (6) months of the date of the Committee's approval of the application.

Appeal

Any appeal of the Committee's decision must be submitted in writing, within 30 days of the mailing date of the Committee decision to:

Rogers Ranch Unit Two Homeowners Association c/o Vision Community Management 16625 S Desert Foothills Parkway Phoenix, AZ 85048

THESE DESIGN GUIDELINES/ASSOCIATION RULES MAY BE AMENDED FROM TIME TO TIME BY A MAJORITY VOTE OF THE BOARD OF DIRECTORS.

DESIGN GUIDELINES

ANTENNAS

To the extent permitted by applicable law, the installation of antennas, satellite dishes or other devises for the transmission or reception of television or radio signals or an other form of electromagnetic radiation shall be subject to the prior written approval of the Committee unless applicable law prohibits the Committee from requiring such approval. If the applicable law prohibits the Committee from requiring prior approval for the installation of certain antennas, any such antennas are to be installed as follows:

The preferred installation locations are as follows in descending order of preference:

- 1. A location in the back yard of the Lot where the Receiver will be screened from view by landscaping or other improvements.
- 2. An unscreened location in the backyard of the Lot
- 3. On the roof, but below the roofline
- 4. A location in the side yard of the Lot where the Receiver and any pole or mast will be screened from view by landscaping or other improvements
- 5. On the roof above the roofline
- 6. An unscreened location in the side yard
- 7. A location in the front yard of the Lot where the Receiver will be screened from view by landscaping or other improvements.

Wires must be securely attached to the dwelling and painted to match where attached.

AWNINGS

All awnings must be approved by the Committee. Awnings over all windows shall be canvas or similar material, of solid color on both sides, which match the color of the body of the exterior of the home or roof color and shall be installed only on the side and/or rear of the home. All awning submittals must include a drawing with the location of the proposed awning installation. A sample of the material to be used, along with the color and design of the proposed awning is required. Owner is responsible for maintenance and repair of awnings. Association retains the right to determine when an awning must be repaired and or replaced due to weathering, fading, tearing, ripping, etc.

BASKETBALL GOALS

No permanent basketball goals or backboard shall be constructed, installed or maintained on any Lot without prior Committee approval. Portable basketball goals may be kept on a lot provided they meet the following requirements.

1. Portable basketball equipment must be stored in the backyard when not in use.

- 2. Backboards must be of a predominantly neutral color (gray, black or white) or match the color of the body of the exterior of the home. Clear Plexiglas backboards are acceptable without painting.
- 3. Basketball poles must be painted to match the color of the body of the exterior of the home or black in color.
- 4. All equipment must be constantly maintained. Broken backboards, disfigured of bent rims, ripped or torn nets, chipped and/or peeling paint, etc., should be promptly repaired or replaced.
- 5. Only nylon or similar cord nets are acceptable. Metal or chain nets are expressly prohibited.
- 6. Permanent basketball goals must be placed on the interior side of the driveway, farthest away from neighboring lots.
- 7. Keys may not be painted on the driveway.
- 8. Basketball areas may not be lighted for night play.

CHIMNEYS

Chimneys shall be constructed of the same material, texture and color of the home. Exposed flues are prohibited.

DECORATIVE ITEMS

Front yard item(s) must be submitted for approval by the Committee. The Board of Directors reserves the right to require removal of decorative items in front yards based on size, quantity, color and location and any other criteria that the Board may determine.

<u>Seasonal and Decorative Flags:</u> Seasonal and decorative flags which are house mounted below the roofline do not require approval. Seasonal flags must be removed within thirty (30) days after the date of the holiday to which the flag pertains. Flags must be maintained in good condition at all times. Torn, ripped, faded, etc., constitute grounds for fines and removal. Flags shall not be offensive to the Association. The Board of Directors shall make this determination at its sole discretion.

Holiday Decorations: Holiday decorations may be installed thirty (30) days prior to the holiday and must be removed within thirty (30) days after the holiday.

<u>Decorative and Seasonal Items:</u> The Board of Directors reserves the right to require the removal of decorative items in front yards based on size, quantity, color, location and any other criteria. The Board of Directors, at its sole discretion, shall make its determination on a case by case basis.

<u>Decorative Art on Houses:</u> Decorative Art on houses shall be neutral in color and may be limited in number so as to not dominate the appearance of the home. Dimensions of decorative art shall be no greater than three feet (3') in length, width and height.

<u>Water Features, Statuary, Etc.:</u> Items such as fountains, statuary, etc., are permissible within the rear yard and do not require submittal to the Committee, except on lots with view fencing.

Any items installed in the rear yard must not exceed the wall or fence height. Such items must be approved by the Committee for installation in the front yard. Water features may not exceed four and one half feet (4 ½') in height. It is recommended that water features be chlorinated and always have moving water to eliminate the possibility of breeding mosquitoes and other pests. The Committee reserves the right to limit the size and quantity of statuary in the front yard, as well as rear yards with view fencing. Statuary must not exceed twelve inches (12") in height, must be earth tone color, and must be approved by the Committee.

DRIVEWAY EXTENSIONS AND SIDEWALKS

Driveway extensions will be reviewed for approval provided the following conditions are met:

- 1. Only driveway extensions submittals located in the side yard of the property will be considered.
- 2. Submittals must include a plot plan with: (i) the location and dimensions of the proposed extension, (ii) the existing driveway dimensions, and (iii) the total linear feet of lot frontage.
- 3. The total parking area may not exceed the greater of thirty feet (30') of contiguous frontage or fifty percent (50%) of the lot width (existing plus extension) as measured at its widest point.
- 4. Homeowners with four (4) car garages will not be permitted to add a driveway extension since this will exceed the provision directly above. Rather, these homeowners will be permitted to request one of the following options:
 - a) A stabilized decomposed granite driveway, which matches the existing granite in the front yard. Homeowners may not park vehicles on this extension. Color samples of existing and proposed granite must be submitted.
 - b) A sidewalk no more than three feet (3) in width from the rear of the yard to the existing driveway. Additionally, the sidewalk may not extend more than three feet (3') past the front edge of the home, and shall not run parallel to the driveway as to exceed the 30 foot limit.
 - c) Either option must be submitted to the Committee for approval.
- 5. Painting of paved surfaces is prohibited.

Additional Sidewalks

Sidewalks installed to utilize the side gates do not need to be submitted if all the following conditions are met:

- 1. The additional sidewalk is three feet (3') or less in width, is one foot (1') or more from the property line, and is one foot (1') or more from the home.
- 2. The area between the home and the sidewalk addition must have groundcover installed per the landscaping guidelines or to match the existing front yard ground cover.

The Committee reserves the right to review and request changes to the addition per these requirements.

Additional sidewalks in any other location must be submitted for approval.

FENCES AND WALLS INCLUDING DECORATIVE WALLS

Plans to raise the height of a party wall must be submitted for approval with written permission from the adjacent neighbor(s) as well as with information on the height of all walls which will abut the wall (s) being raised. Side and rear walls may not exceed six feet (6') in height from ground level, as measured from the lowest side of the wall.

Plans for new fences or walls must be submitted to the Committee prior to construction. Walls must match the existing wall in texture and color.

Access for pool installation must be through the front gate access or by removing a portion of the front wall. Corner lots must receive prior approval to remove a portion of the sidewall.

Decorative or garden walls may not exceed thirty-sic inches (36") in height. Decorative or garden walls must be submitted for approval prior to installation, and be stuccoed and painted to match the base color of the home.

FLAGPOLES

Flag Display Requirements:

- 1. Only the flag of the United States and either the Arizona State Flag or a nationally recognized Military Unit Flag (not both) may be displayed.
- 2. The maximum size of any flag shall be three feet by five feet (3'x 5').
- 3. The maximum height of a permanent, removable or freestanding pole shall be twenty feet (20') or the height of the roof peak, whichever is less, and must be submitted for approval by the Committee.
- 4. Wall mounted flagpoles shall be a maximum of five feet (5') long with attaching brackets painted to match the attachment area and will not require prior approval.
- 5. All poles and flags must be maintained in excellent condition according to the United States Flag Code, Title 36, U.S.C. Chapter 10.
- 6. Only one permanent, removable, wall mounted or freestanding pole will be permitted per residence or lot.
- 7. It will be the responsibility of the homeowner or resident of the lot on which a flag is displayed to do so with proper respect and flag etiquette.

*These requirements are within the context of State Bill 1055, as approved by the Governor on April 29, 2002.

GATES

All requests for additional gates or gates other than those which were offered by the original developer of the lot/home must be submitted for architectural approval. Placement of gate(s) must be approved by the Committee. Double gates may be installed to allow wider access to rear yards. All gates (double or single) should be of the same material, design and color as the originally installed single gates unless approved by the Committee.

Gates may be painted to match the fence with approval from the Committee.

GUTTERS AND DOWNSPOUTS

Gutters and downspouts will be considered for approval if the finish matches the color of the home. The Association strongly recommends use of high quality materials that offer long life, as the gutters must be maintained in good condition at all times.

HVAC INCLUDING EVAPORATIVE COOLERS

Except as initially installed by the Declarant, no heating, air conditioning or evaporative cooling unit shall be placed, installed, constructed or maintained upon any lot without the prior written approval of the Committee. All units shall be ground mounted, located within the perimeter of the rear yard and screened or concealed from view of all neighboring property.

LANDSCAPE GUIDELINES

Front Yard Landscaping: If landscaping is not installed by the Builder, it shall be installed by the homeowner within ninety (90) days after becoming the Owner of a Lot. The landscaping and irrigation improvements shall be installed in accordance with plans approved in writing by the Committee. Prior to installation of such landscaping, the Owner shall maintain the front yard of the Lot in a weed-free condition.

Front yard landscaping must have a minimum of one (1) fifteen-gallon tree, five (5) five-gallon shrubs, organic or inorganic ground cover and underground irrigation to plant material. The tree requirement may be substituted with approved cactus with a minimum height requirement of five feet (5').

Rear Yard Landscaping: Rear yard landscaping does not require Committee approval, except on Lots with view fencing. All rear yard landscaping must be installed within ninety (90) days after becoming the Owner of a Lot.

<u>Hardscape</u>: Any hardscape items proposed for front yard installation must be approved by the Committee. Materials included in hardscape are concrete, brick, tile, wood, etc. Examples of hardscape items are planters, walkways, retaining walls, decorative walls and fountains.

Rock Ground Cover: If decomposed granite or other landscape rock is used, it must be of an "earth tone" color and not white, green, blue or other bright colors. River rock shall be one inch (1") to six inches (6") in diameter and cover not more than fifteen percent (15%) of the front yard landscaping.

Prohibited Plant Material: The following vegetation types and varieties are expressly prohibited:

- A. Olive trees (Olea europaea) other than the "Swan Hill" variety.
- B. Oleanders (Nerium oleander) other than the dwarf variety and Thevetia (Thevetia species).
- C. Fountain Grass (Pennesethus setaceum) or Pampas grass (Cortanderia selloana).
- D. All varieties of Citrus are permissible within the confines of the rear yard only.
- E. Mexican Palo Verde (Parkinsonia aculeatea).
- F. All varieties of mulberry trees.

LIGHTING – Please refer to Landscape Rules or Security Lighting.

MACHINERY AND EQUIPMENT

No machinery, fixtures, or equipment of any type, including, but not limited to, heating, cooling, air conditioning, refrigeration equipment, and clotheslines, may be placed on any lot or parcel without screening or concealment from view of non-residential neighboring property or public property.

Oil pans, carpet, boards or any other object used to collect oil spills from driveways must be removed when not in use to prevent them from being visible.

PAINT COLORS

The paint colors need to be chosen from the 15 approved color schemes. An architectural application needs to be submitted for prior approval.

PATIO COVERS

Roofing materials should match that which were installed by the builder on the original roof of the home or that which were offered as an option by the builder for a patio cover.

Color and material of supports should match the home. Roof shall be flat or match the pitch of the roof of the home. All patio covers, not installed by the builder, will need to be reviewed by the Committee on an individual basis, prior to installation, with strong consideration being given to any impact of architectural features in the neighborhood.

PLAYGROUND EQUIPMENT

Plans for play structures and similar recreational equipment must be submitted for approval since in most5 instances they protrude over the fence line. This is not to eliminate play structures, but to consider privacy issues for adjacent neighbors, and to assure the aesthetic appeal.

An architectural submittal is required for any such structure, and shall take into consideration the impact of all adjacent neighbors. In no case will the maximum height of any such improvement be permitted to exceed twelve feet (12'). The maximum height for any deck/platform is four feet (4') above ground level.

The play structure may be placed no closer than ten feet (10') to any lot line. When considering plan approval, the Committee will consider the appearance, height and proximity to neighboring property. Submittals must include a picture or brochure of the structure, total dimensions, materials and a plot map or drawing indicating the proposed location and its proximity to adjacent property lines.

The canopy of the play structure must be one of the following: (i) a "neutral" color, off white, beige or light brown; or (ii) a single solid color of red, blue, green or yellow; or (iii) striped with

white or another primary color and (1) other color either red, blue, green or yellow. Prints and multi-colored stripped canopies are prohibited.

POOLS AND SPAS

Pools and spas do not require the prior approval of the Committee. Perimeter walls on lots bordering common areas and shared Homeowners Association walls may not be torn down to allow access to rear yards.

Access must be gained by removing a portion of the front wall on the side of the home. Repairs to the wall must be completed in a timely fashion and include repairing the wall to match the texture and color of the remaining wall. All Pool and spa equipment must be screened from view of neighboring property. (Lots with view fencing must submit plans for screening for approval by the Committee.)

Pools may not be backwashed into any common area. Check with your pool contractor concerning City ordinance requirements for backwashing. Damage, including erosion, to common areas due to backwashing will be repaired by the Association and al expenses incurred by the Association will be billed to the homeowner.

POOL FENCING AND EQUIPMENT

The specifications for rear yard wrought iron pool fencing installation on a Lot with view fencing shall be of a neutral earth tone color to match or blend with the exterior color of the home and meet all City State and Federal requirements.

Pool equipment on lots with view fencing must be screened from view from common areas. Screening may be through plant material or hardscape enclosure. Hardscape enclosures do not require approval if the enclosure does not exceed four feet (4') in height and painted to match the base color of the home. All other screening material requires approval from the Committee.

ROOF AND ROOF STRUCTURES

If the dwelling unit has pitched roof, the roofing material for that portion visible from neighboring property must be clay or concrete tile. Unless specifically authorized in this document, no heating, air-conditioning, ventilation equipment, or any other equipment or structures shall be located or installed on any roof (please see SOLAR PANELS). In addition, any such equipment or structures shall not be located or installed or maintained anywhere on a Lot, if it is visible from neighboring property.

SANITATION

No garbage or trash may be placed on any lot or parcel except in covered containers meeting the City specifications, and must be stored out of sight. Trash cans may be placed out for pickup no more than twelve (12) hours prior to pickup and must be removed from view no more than twelve (12) hours after pickup. Rubbish, debris and garbage shall not be allowed to accumulate.

Each owner shall be responsible for removal of rubbish, debris and garbage not only from his lot or parcel, but also from all public right-of-ways either fronting or along side his lot or parcel,

excluding (a) public roadway improvements, and (b) those areas specified on a Tract Declaration or subdivision plat to be maintained by the City or the Association.

SECURITY LIGHTING/DEVICES

Security lighting must be directed as not to shine on neighboring property.

Security features including but not limited to doors and windows must be submitted for approval.

SECURITY/SCREEN DOORS/SUNSCREENS

Wrought iron security/screen doors need not be submitted for approval provided they are painted to match the base color of the home, or are a neutral "earth tone" color.

Silver colored aluminum screen/security doors and/or wire screen mesh doors are strictly prohibited on front doors.

Bronze, gray, charcoal, brown or beige sunscreen material may be installed and not submitted for approval provided that the window frame matches the sunscreen material or the existing window frames.

Reflective window films are expressly prohibited. Bronze or charcoal non-reflective window tinting may be installed without Committee review.

SIDEWALKS

Please refer to DRIVEWAY EXTENSIONS AND SIDEWALKS.

SIGNS

No signs shall be displayed on any lot except the following:

- 1. Signs required by legal proceedings
- 2. A maximum of two (2) street address identification signs for each individual residence, each with a maximum face area of seventy-two (72) square inches or less
- 3. "For Sale" and "For Lease" signs no larger than five (5) square feet placed on a lot by the owner of that lot
- 4. Signs used by Declarant to advertise the Property during the construction and sales period
- 5. Political signs as required by State Statute
- 6. Signs approved by the Committee

All signs shall conform and comply with City ordinances. Signs advertising landscaping or pool contractors, etc., must be removed within forty-eight (48) hours of completion of work.

Security Signs

Security signs must be located a maximum distance of 2 feet from the front of the home. Security signs must not exceed 12 inches by 12 inches (12" x 12") and must be maintained in good condition at all times.

SOLAR PANELS AND EQUIPMENT

Roof mounted solar equipment, (excluding the solar panels), must match the roof material. Panels must be an integrated part of the roof design and mounted directly to the roof plane. Solar units must not break the roof ridgeline, visibility must be minimized from public view, and may be required to be screened from neighboring property in a manner approved by the Committee.

STORAGE SHEDS

Storage sheds will be permitted and need not be submitted for approval, provided the maximum height of the shed, including roof, do not exceed the height of the immediately surrounding wals or fences. Sheds shall have a minimum setback of 5 feet (5') from any rear yard walls.

Sheds whose maximum height exceeds the height of the immediately surrounding wall(s) or fence(s) must be constructed of block, stuccoed and painted to match the home, and have a tile roof to match the existing tile on the home.

Storage sheds on lots with a view fence are subject to the following provisions:

The shed may not be placed adjacent to the view fence. The shed must be screened from view with approved plant materials. Placement of the shed must be approved prior to installation.

WINDOWS

Permanent draperies or suitable window treatments shall be installed on all front-facing windows within sixty (60) days of occupancy. No reflective materials, including but not limited to, aluminum foil, reflective screens or glass, mirrors or similar type material, shall be installed or placed upon the outside or inside of any windows. Exterior window coverings or treatments used to shelf or decorate openings must be compatible, with respect to materials and color, with the style and color of the home.