

Arizona Department of Water Resources
Tucson Active Management Area

Low Water Use/
Drought Tolerant
Plant List



Official Regulatory List for the Tucson Active Management Area
Fourth Management Plan

Arizona Department of Water Resources
1110 W. Washington St, Suite 310
Phoenix, AZ 85007
www.azwater.gov
602-771-8585



Low Water Use/Drought Tolerant Plant List

Official Regulatory List for the Tucson Active Management Area
Arizona Department of Water Resources

Acknowledgements

The list of plants in this document was prepared in 2010 by the Arizona Department of Water Resources (ADWR) in cooperation with plant and landscape plant specialists from the Tucson AMA and other experts. ADWR extends its gratitude to the following members of the Tucson AMA Plant List Advisory Committee for their generous contribution of time and expertise:

~*Globe Mallow (Sphaeralcea ambigua) cover photo courtesy of Bureau of Land Management, Nevada*~

| | | | |
|-----------------|-----------------------------------|---------------------|-----------------------------------|
| Bruce Munda | Tucson Plant Materials , USDA | Karen Cesare | Novak Environmental |
| Daniel Signor | Pima County | Larry Woods | Rillito Nursery and Garden Center |
| Doug Larson | Arizona-Sonora Desert Museum | Les Shipley | Civano Nursery |
| Eric Scharf | Wheat Scharf Landscape Architects | Lori Woods | RECON Environmental, Inc. |
| Gary Wittwer | City of Tucson | Margaret Livingston | University of Arizona |
| Greg Corman | Gardening Insights | Margaret West | MWest Designs |
| Greg Starr | Starr Nursery | Mark Novak | University of Arizona |
| Irene Ogata | City of Tucson | Paul Bessey | University of Arizona, emeritus |
| Jack Kelly | University of Arizona | Russ Buhrow | Tohono Chul Park |
| Jerry O'Neill | Tohono Chul Park | Scott Calhoun | Zona Gardens |
| Joseph Linville | City of Tucson | | |

A Resource for Regulated Water Users

The use of low water use/drought tolerant plants is required in public rights of way and in other instances as described in the Fourth Management Plan¹. The Low Water Use/Drought Tolerant Plant List was developed to assist regulated water users in selecting landscaping plants that meet these requirements. Following are the sections in the Fourth Management Plan of the Tucson Active Management Area in which the list is referenced:

- Section 5-701(4) and (41) Definitions, Low Water Use/Drought Tolerant Plant List for the TAMA and Water-intensive landscaped area
- Section 5-709(A)(3), Individual User Requirements for Municipal Providers and Individual Users, requirements for public rights-of way
- Section 6.6.1, Introduction to All Industrial Users Conservation Program
- Section 6.6.3, All Industrial User Program Description
- Section 6.7.4.2, Additional Conservation Requirements for
- Section 6-1501(6), Definitions, Low Water Use/Drought Tolerant Plant List
- Section 6-1502(4) and (5), Conservation Requirements
- Section 6-1503(A)(6), Monitoring and Reporting Requirements
- Section 6-1601(11) and (19), Definitions
- Section 6-1602(C)(2), Conservation Requirements for Turf-Related Facilities
- Section 6-1603(B)(2)(a) Calculation of Maximum Annual Water Allotment for Turf-Related Facilities
- Section 6-2201(5)(a), Definitions
- Section 6-2203(3), Monitoring and Reporting Requirements

¹ The 1980 Groundwater Code requires the preparation of a series of water management plans for each AMA that includes mandatory conservation programs. The proposed Fourth Management Plan for the Tucson Active Management Area was issued in 2015.

A Resource for Communities, Residents and Businesses

The Low Water Use/Drought Tolerant Plant List is a valuable resource for communities, residents and businesses that are interested in conserving water through low water-use landscaping. Plants on the Tucson AMA list can be grown in the Tucson area with very low to moderate supplemental irrigation once they are established. Supplemental irrigation should be of sufficient quantity to saturate the plant's root zone. All plants listed can grow with less water than traditional high water-use landscape plants, and do not require more than the ADWR regulations for low water-use plants in the Tucson AMA, a maximum of 18 inches of supplemental irrigation on an annual basis, not including rainfall. In addition to water requirements, other suitability factors (e.g., highly invasive, cold hardiness, etc.) may be considered to determine acceptability for individual plants for addition to the list.

Request to Waive the Requirement

Pursuant to the Fourth Management Plan for the Tucson Active Management Area sections 5-709(A)(3) and 6-1302(4), the ADWR Director may waive the requirement to use plants on the Low-Water-Use/Drought-Tolerant Plant List if the water user demonstrates to the satisfaction of the Director that the plants on the list cannot grow in a publicly owned right-of-way because of high elevation or low light conditions, such as a freeway underpass. Those who wish to request a **waiver** of the list should submit their request in writing or by email to the ADWR Director including the following information:

1. Description of the location of the publicly owned right-of-way
2. Map showing the location of the right-of-way and the place where plants will be located
3. Botanical and common name of the plant under consideration
4. Description of plant's water needs, including references

Additionally, anyone wishing to add, delete or **modify** information on the list is encouraged to submit their request to the ADWR Director in writing or email.

Waiver and **modification** requests can be sent to:

Lori Cason, AMA Section
Arizona Department of Water Resources
1110 W. Washington St, Suite 310
Phoenix, AZ 85007
llcason@azwater.gov

Definitions and Key to Symbols

Water Use (WU)

- 1** = Very low: irrigate every 3 to 6 weeks during the growing season after establishment
2 = Low: irrigate every 2 to 4 weeks during the growing season after establishment
3 = Moderate: irrigate every 1 to 3 weeks during the growing season after establishment

Irrigation

Most plants require regular irrigation during the first 2 to 3 year establishment period. Plants should be watered to their root depth. Mature trees should be watered to a depth of 24" to 36"; Shrubs – 18" to 24"; Groundcovers and Vines – 8" to 12". Winter growers will require less frequent irrigation due to cooler temperatures.

- 0.62 gallons of water is equivalent to one inch of precipitation on one square foot of soil.
- Average annual rainfall for Tucson is 11 to 12". In low rainfall years the plants on the list may need additional irrigation to maintain good appearance and plant health.

Growing Season (GS)

- Wi** winter – apply water September through March; less frequently in off season
Su summer – apply water March through September; less frequently in off season

Plant Type (PT)

- | | |
|----------------------------|------------------------------------|
| A accent plant | S shrub |
| C cactus | Sc succulent |
| Gc groundcover | T tree |
| Gr ornamental grass | V vine |
| An annual | P perennial (herbaceous) |

Flower Color

Includes annotations for fall color, berries, etc.

Height

- H** Mature plant height measured in feet
W Mature canopy size measured in feet

Allergenicity (AL)*

- a** strongly allergenic
b moderately allergenic
c weakly allergenic

**Allergenicity of the plants was classified with the help and advice of Michael J. Schumacher, M.D., Allergy-Immunology Section, University of Arizona Health Sciences Center and Mark R. Snell, Ph.D., Office of Pollen and Mold Control, Pima County Health Dept.*

Freezing Temperature (°F)

Approximate freezing temperatures are provided in degrees Fahrenheit. If plants do not suffer any damage at 25°F or below, they are considered cold hardy for our region.

** The timing of the freeze, duration of the freeze, next day's temperature and the second night temperatures will affect how severely damaged the plant will be.*

Origin

Note: Native plants are listed under Origin using the following symbols:

CD Chihuahuan Desert – includes north central and NW Mexico, SW Texas, southern New Mexico and extreme SE Arizona

SD Sonoran Desert – includes arid and semi-arid areas of NW Mexico SE California and most of Arizona south of the Mogollon Rim

Toxic

May be harmful if eaten. Call Poison Control Center AZ at 800-362-2720 or AZ Poison & Drug Information Center at 800-222-1222

Invasive (INV)

May spread and intrude into natural areas

Spreads in Cultivated Areas (SCA)

May spread by seed or sucker in urban or cultivated areas and in disturbed soils

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| TREES, plus T/shrub, T/accent | | | | | | | | | | | | | | |
|-------------------------------|---|------------------------------|---------------|----------------------|------|----|----|----|--------|----|-----|-----|-----|--------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 2 | <i>Acacia aneura</i> | Mulga | Yellow | Spring | T | 18 | 18 | Su | | c | | | 20 | Austr. |
| 3 | ** <i>Senegalia berlandieri</i> / <i>Acacia berlandieri</i> | Guajillo | White | Summer | T, S | 15 | 15 | Su | | c | | | 20 | CD |
| 1 | ** <i>Vachellia constricta</i> / <i>Acacia constricta</i> | Whitethorn, Mescat Acacia | Yellow | Spring to Summer | T, S | 20 | 20 | Su | | c | Yes | Yes | 5 | SD, CD |
| 1 | <i>Acacia craspedocarpa</i> | Waxleaf Acacia | Yellow | Spring to Summer | T, S | 15 | 15 | Su | | c | | | 15 | Austr. |
| 2 | <i>Acacia cultriformis</i> | Knife-Leaf Acacia | Yellow | Spring | T, S | 15 | 15 | Su | | c | | | 20 | Austr. |
| 3 | ** <i>Vachellia farnesiana</i> var. <i>farnesiana</i> / <i>Acacia farnesiana</i> (smalli) | Southwestern Sweet Acacia | Yellow | Spring | T, S | 25 | 25 | Su | | c | Yes | Yes | 12 | SD, CD |
| 1 | ** <i>Senegalia greggii</i> / <i>Acacia greggii</i> | Catclaw Acacia | Creamy Yellow | Spring to Summer | T, S | 15 | 20 | Su | | c | Yes | Yes | 0 | SD, CD |
| 2 | ** <i>Vachellia rigidula</i> / <i>Acacia rigidula</i> | Black Brush Acacia | Yellow | Spring | T, S | 15 | 9 | Su | | c | | | 20 | CD |
| 2 | <i>Acacia salicina</i> | Willow Acacia | Creamy White | Spring | T | 40 | 30 | Su | | c | | | 20 | Austr. |
| 2 | <i>Acacia saligna</i> | Weeping Wattle | Orange-Yellow | Early Spring | T | 25 | 20 | Su | | c | | | 15 | Austr. |
| 3 | ** <i>Vachellia schaffneri</i> / <i>Acacia schaffneri</i> | Twisted Acacia | Yellow | Spring | T | 20 | 25 | Su | | c | | | 17 | CD |
| 2 | <i>Acacia stenophylla</i> | Pencilleaf Acacia | Creamy White | Early Spring | T | 30 | 20 | Su | | c | | | 18 | Austr. |
| 2 | ** <i>Mariosousa willardiana</i> / <i>Acacia willardiana</i> | Palo Blanco | Pale Yellow | Spring | T | 20 | 10 | Su | | c | | | 25 | SD |
| 2 | <i>Brachychiton populneum</i> (<i>Sterculia diversifolia</i>) | Bottle Tree | Pink | Late Spring | T | 45 | 30 | Su | | | | | 18 | Austr. |
| 3 | ** No record of Plant (?) <i>Brahea</i> (<i>Erythea</i>) <i>armata</i> | Mexican Blue Palm | White | Spring | T | 30 | 10 | Su | | c | | | 15 | SD |
| 3 | <i>Callistemon citrinus</i> | Lemon Bottlebrush | Red | Off and on all year | T, S | 15 | 10 | Su | | c | | | 10 | Austr. |
| 2 | <i>Casuarina cunninghamiana</i> | Australian Pine | | | T | 70 | 35 | Su | | b | | | 20 | Austr. |
| 2 | ** <i>Allocasuarina verticillata</i> / <i>Casuarina stricta</i> | Coast Beefwood | | | T | 35 | 25 | Su | | b | | | 15 | Austr. |
| 3 | <i>Celtis reticulata</i> | Netleaf or Western Hackberry | Greenish | March through Summer | T | 30 | 30 | Su | | a | | | -20 | SD, CD |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| TREES, plus T/shrub, T/accent | | | | | | | | | | | | | | |
|-------------------------------|--|-----------------------------------|-------------------------------|-----------------------|------|-----|----|----|--------|----|-----|-----|----|--------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 3 | <i>Ceratonia siliqua</i> | Carob, St. John's Bread Tree | Pink | Spring | T | 40 | 40 | Su | | | | | 22 | Medit. |
| 3 | <i>Cercis canadensis v. Mexicana</i> | Mexican Redbud | Magenta | Early Spring | T, S | 15 | 15 | Su | | | | | 10 | CD |
| 3 | <i>Chamaerops humilis</i> | Mediterranean Fan Palm | insignificant | n/a | T | 15 | 10 | Su | | c | | | 12 | Spain |
| 3 | <i>Chilopsis linearis and cultivars</i> | Desert Willow | White, Lavender, Pink, Purple | Late-Spring to Fall | T, S | 30 | 30 | Su | | | Yes | Yes | 0 | SD, CD |
| 2 | <i>Condalia globosa</i> | Bitter Condalia | White inconspicuous, fragrant | Early Spring | T, S | 15 | 20 | Su | | | | | 18 | SD |
| 2 | <i>Cordia boissieri</i> | Anacahuita, Texas Olive | White | Spring to Fall | T, S | 15 | 15 | Su | | | | | 22 | CD |
| 3 | <i>Cupressus arizonica & varieties</i> | Rough-barked Arizona Cypress | inconspicuous | n/a | T | 50 | 20 | Su | | a | | | 10 | SD, CD |
| 3 | <i>Cupressus glabra</i> | Smooth Bark Cypress | n/a | n/a | T | 40 | 20 | Su | | a | | | 10 | SD |
| 3 | <i>Dalbergia sissoo</i> | Rosewood | inconspicuous green- yellow | | T | 50 | 30 | Su | | | | | 10 | India |
| 2 | <i>Ebenopsis ebano (Pithecellobium flexicaule)</i> | Texas Ebony | Cream White | Late Spring to Fall | T | 30 | 20 | Su | | | | | 20 | CD |
| 3 | <i>Eucalyptus camaldulensis</i> | Red River Gum | Yellow inconspicuous | Winter to Spring | T | 120 | 50 | Su | | c | | | 20 | Austr. |
| 2 | <i>Eucalyptus campaspe</i> | Silver Gimlet | inconspicuous | Late Winter to Spring | T | 35 | 25 | Su | | c | | | 18 | Austr. |
| 2 | <i>Eucalyptus formanii</i> | Eucalyptus | White | Summer | T | 20 | 20 | Su | | c | | | 15 | Austr. |
| 2 | <i>Eucalyptus leucoxydon (rosea)</i> | White Iron Bark | White, Red | Fall to Winter | T | 40 | 30 | Su | | c | | | 18 | Austr. |
| 2 | <i>Eucalyptus microtheca</i> | Tiny Capsule Eucalyptus, Coolibah | Creamy White inconspicuous | Summer | T | 35 | 35 | Su | | c | | | 10 | Austr. |
| 2 | <i>Eucalyptus papuana</i> | Ghost Gum | White inconspicuous | Summer | T | 40 | 25 | Su | | c | | | 22 | Austr. |
| 2 | <i>Eucalyptus polyanthemus</i> | Silver Dollar Gum | Cream-white | Winter | T | 40 | 30 | Su | | c | | | 14 | Austr. |
| 2 | <i>Eucalyptus rudis</i> | Desert Gum | | | T | 100 | 50 | Su | | c | | | 15 | Austr. |
| 2 | <i>Eucalyptus sargentii</i> | Salt River Mallet | Yellow | | T | 40 | 30 | Su | | c | | | 22 | Austr. |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| TREES, plus T/shrub, T/accent | | | | | | | | | | | | | | |
|-------------------------------|---|---------------------------------|------------------------|-----------------------------|------|----|----|----|--------|----|-----|-----|-----|----------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 2 | <i>Eucalyptus spathulata</i> | Swamp Mallee | Cream and Gold | Summer | T | 20 | 20 | Su | | c | | | 17 | Aust. |
| 2 | <i>Eysenhardtia orthocarpa</i> | Kidneywood | White | Summer | T | 10 | 10 | Su | | | | | 15 | CD, SD |
| 3 | <i>Eysenhardtia texana</i> | Texas Kidneywood | White | Spring to Summer | T | 8 | 8 | Su | | | | | 15 | CD |
| 3 | <i>Feijoa sellowiana</i> | Pineapple Guava | White with red stamens | Spring | T, S | 15 | 15 | Su | | | | | 15 | S. Amer. |
| 1 | <i>Fouquieria columnaris</i> | Boojum | White | Late Summer to early Fall | T, A | 75 | 1 | Wi | | | | | 25 | Baja |
| 3 | <i>Fraxinus greggii</i> | Littleleaf Ash | inconspicuous Green | | T, S | 18 | 15 | Su | | a | | | 15 | CD |
| 3 | <i>Geijera parviflora</i> | Australian Willow | White | Spring | T | 25 | 20 | Su | | | | | 18 | Austr. |
| 1 | <i>Geoffroea (Gourleia) decorticans</i> | Chilean Palo Verde | Yellow | Spring | T | 20 | 15 | Su | | | | | 15 | S. Amer. |
| 3 | <i>Guaiacum coulteri</i> | Guayacan | Blue-Purple | Spring through Summer | T, S | 12 | 10 | Su | | | | | 25 | SD |
| 2 | <i>Havardia mexicana (Pithecellobium mexicanum)</i> | Mexican Ebony | Creamy Yellow | Spring | T | 30 | 30 | Su | | | | | 20 | SD |
| 2 | <i>Havardia pallens (Pithecellobium pallens)</i> | Tenaza | White | Late Spring to Mid-Summer | T | 30 | 12 | Su | | c | | | 22 | CD |
| 3 | <i>Juniperus chinensis and cultivars</i> | Juniper | n/a | | T | 20 | 10 | Su | | b | | | -30 | Asia |
| 3 | <i>Juniperus deppeana</i> | Alligator Bark Juniper | inconspicuous | | T | 40 | 30 | Su | | a | | | 0 | SD, CD |
| 2 | <i>Leucaena retusa</i> | Golden Leadball | Yellow | Spring to Summer | T | 20 | 15 | Su | | | | | 10 | CD |
| 3 | <i>Lysiloma watsonii var. thornberi</i> | Feather Tree | White | Late Spring | T, S | 20 | 20 | Su | | | Yes | Yes | 25 | SD |
| 2 | <i>Olea europaea 'Swan Hill', 'Wilsoni'</i> | Fruitless non-pollinating Olive | White | Spring | T | 30 | 30 | Su | | | | | 15 | Medit. |
| 1 | <i>Olneya tesota</i> | Desert Ironwood, Tesota | Lavender-Pink | Late Spring to early Summer | T | 30 | 25 | Su | | | | | 15 | SD, CD |
| 2 | <i>Parkinsonia praecox (Cercidium)</i> | Palo Brea | Yellow | Spring | T | 30 | 25 | Su | | b | | | 25 | SD |
| 2 | <i>Parkinsonia florida (Cercidium floridum)</i> | Blue Palo Verde | Yellow | Early Spring | T | 30 | 30 | Su | | b | Yes | Yes | 12 | SD |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| TREES, plus T/shrub, T/accent | | | | | | | | | | | | | | |
|-------------------------------|--|--------------------------------------|-------------------------------|------------------|----|-----|----|----|--------|----|-----|-----|-------|-----------------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 2 | <i>Parkinsonia hybrid</i> "Desert Museum" | Desert Museum Palo Verde | Yellow | Spring to Summer | T | 30 | 30 | Su | | b | | | 17 | SD, CD |
| 1 | <i>Parkinsonia microphylla</i> (<i>Cercidium microphyllum</i>) | Littleleaf or Foothill Palo Verde | Yellow | Late Spring | T | 20 | 20 | Su | | b | | | 15 | SD |
| 1 | <i>Parkinsonia x sonorae</i> (<i>Cercidium</i>) | Sonoran Palo Verde | Yellow | Spring | T | 20 | 20 | Su | | b | | | 25 | SD |
| 2 | <i>Phoenix canariensis</i> | Canary Island Date Palm | Cream, White | Summer | T | 60 | 30 | Su | | c | | | 20 | Canary Islands |
| 2 | <i>Phoenix dactylifera</i> | Date Palm | insignificant | Summer | T | 100 | 20 | Su | | c | | | 18 | Asia |
| 2 | <i>Pinus edulis</i> | Piñon Nut Pine | insignificant | | T | 25 | 15 | Su | | c | | | -31 | NM, Calif., AZ |
| 2 | <i>Pinus eldarica</i> | Afghan Pine | insignificant | | T | 50 | 25 | Su | | c | | | 10-15 | Asia |
| 2 | <i>Pinus halepensis</i> | Aleppo Pine | insignificant | | T | 80 | 60 | Su | | c | | | 13 | Medit. |
| 2 | <i>Pinus monophylla</i> | Singleleaf Piñon Pine | insignificant | | T | 25 | 15 | Su | | c | | | -31 | Mojave D, N. AZ |
| 2 | <i>Pinus pinea</i> | Italian Stone Pine | insignificant | | T | 60 | 50 | Su | | c | | | 15 | Medit. |
| 3 | <i>Pinus roxburghii</i> | Chir Pine | insignificant | | T | 80 | 40 | Su | | c | | | 20 | Asia |
| 2 | <i>Pistacia atlantica</i> | Mt. Atlas Pistache | insignificant greenish white | Early Summer | T | 60 | 50 | Su | | c | | | 20 | Medit. |
| 3 | <i>Pistacia atlantica x integerrima</i> | Pistache hybrid tereb. x integerrima | | | T | 30 | 30 | Su | | c | | | 0 | Medit. x Asia |
| 3 | <i>Pistacia chinensis</i> | Chinese Pistache | Green (Red leaves) Fall color | | T | 60 | 50 | Su | | c | | | 10 | Asia |
| 2 | <i>Pistacia vera</i> | Pistachio | | | T | 30 | 30 | Su | | c | | | 0 | Asia |
| 2 | <i>Pittosporum phillyraeoides</i> | Willow Pittosporum | Yellow | Spring | T | 20 | 15 | Su | | | | | 15 | Austr. |
| 2 | <i>Prosopis hybrid</i> | South American Mesquite | Light Yellow | Spring | T | 40 | 40 | Su | | b | | | 15 | S. Amer. |
| 2 | <i>Prosopis glandulosa & varieties</i> | Texas Honey Mesquite | Creamy Yellow | Spring | T | 30 | 30 | Su | | b | | | 10 | CD |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| TREES, plus T/shrub, T/accnt | | | | | | | | | | | | | | |
|------------------------------|---|------------------------|--|-------------------|------|----|----|----|--------|----|-----|-----|-----|----------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 2 | <i>Prosopis pubescens</i> | Screwbean Mesquite | Yellow | Spring | T | 20 | 20 | Su | | b | | | 0 | SD, CD |
| 2 | <i>Prosopis velutina (juliflora)</i> | Velvet Mesquite | Yellow | Spring | T | 30 | 30 | Su | | b | | | 0 | SD |
| 3 | <i>Punica granatum & varieties</i> | Pomegranate | Dark Orange, Red | Summer | T, S | 20 | 15 | Su | | | | | 10 | India |
| 3 | <i>Quercus arizonica</i> | Arizona White Oak | Green inconspicuous | | T | 60 | 30 | Su | | b | | | 5 | SD, CD |
| 3 | <i>Quercus buckleyi (Q. texana)</i> | Texas Red Oak | Green inconspicuous; Red Fall Color | | T | 30 | 30 | Su | | b | | | 5 | W. TX |
| 3 | <i>Quercus emoryi</i> | Emory Oak | Green inconspicuous | | T | 50 | 40 | Su | | b | | | 5 | SD, CD |
| 3 | <i>Quercus fusiformis</i> | Escarpment Live Oak | Green inconspicuous | | T | 50 | 50 | Su | | b | | | -10 | W. TX |
| 3 | <i>Quercus gambelii</i> | Gambel Oak | Green inconspicuous | | T, S | 30 | 15 | Su | | b | | | -30 | SW U.S. |
| 3 | <i>Quercus ilex</i> | Holly Oak | Green inconspicuous | | T | 50 | 50 | Su | | b | | | 5 | Medit. |
| 3 | <i>Quercus muhlenbergia</i> | Chinquapin Oak | Green inconspicuous, Orange and Bronze | | T | 30 | 30 | Su | | b | | | -20 | W. TX |
| 3 | <i>Quercus polymorpha</i> | Monterey Oak | Green inconspicuous | | T | 80 | 60 | Su | | b | | | 0 | W. TX |
| 3 | <i>Quercus suber</i> | Cork Oak | Green inconspicuous | | T | 60 | 40 | Su | | b | | | 5 | Medit. |
| 3 | <i>Quercus virginiana</i> | Live Oak | Green inconspicuous | | T | 50 | 50 | Su | | b | | | 15 | SE U.S. |
| 3 | <i>Sambucus nigra spp. Cerulea (S.mexicana)</i> | Mexican Elderberry | Creamy White | Winter and Spring | T | 30 | 20 | Wi | | | | | 25 | SD, CD |
| 3 | <i>Sapindus saponaria saponaria</i> | Soapberry | Creamy White | Late Spring | T | 30 | 30 | Su | Yes | | | | 30 | Mex. |
| 2 | <i>Sapindus saponaria drummondii</i> | Soapberry | Creamy White | Late Spring | T | 30 | 30 | Su | Yes | | | | 5 | SD, CD |
| 3 | <i>Schinus molle</i> | California Pepper Tree | Yellow-white (insignificant) | Summer | T | 40 | 45 | Su | | b | | | 25 | S. Amer. |
| 2 | <i>Sophora secundiflora & varieties</i> | Texas Mountain Laurel | Purple to Lavender | Spring | T, S | 25 | 15 | Su | Yes | | | | 5 | CD |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| TREES, plus T/shrub, T/accnt | | | | | | | | | | | | | | |
|------------------------------|--|-----------------------------|---------------|------------------|------|----|----|----|--------|----|-----|-----|----|--------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 3 | <i>Ungnadia speciosa</i> | Mexican Buckeye | Rose-pink | Spring | T | 12 | 12 | Su | | | | | 10 | CD |
| 2 | <i>Vauquelinia californica & varieties</i> | Arizona Rosewood | White | Spring to Summer | T, S | 25 | 15 | Su | | | | | 10 | SD |
| 2 | <i>Vitex agnus-castus</i> | Chaste Tree, Monk's Pepper | Blue | Summer to Fall | T, S | 25 | 25 | Su | | | | | 5 | Medit. |
| 2 | <i>Washingtonia filifera</i> | California Fan Palm | Cream | Summer | T | 45 | 15 | Su | | c | | Yes | 20 | SD |
| 2 | <i>Washingtonia robusta</i> | Mexican Fan Palm | Cream | Summer | T | 75 | 10 | Su | | c | | Yes | 15 | SD |
| 3 | <i>Xylosma congestum</i> | Xylosma | insignificant | Spring | T, S | 15 | 15 | Su | | | | | 15 | China |
| 2 | <i>Zizyphus jujuba</i> | Chinese Date, Common Jujube | Yellow-white | Spring | T | 40 | 30 | Su | | | | Yes | 20 | Asia |

| SHRUBS plus S/accnt, S/groundcover, S/vine, S/perennial | | | | | | | | | | | | | | |
|---|---------------------------------------|-------------------------|---------------|----------------------------|-------|---|----|----|--------|----|-----|-----|-----|--------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 2 | <i>Abutilon palmeri</i> | Indian Mallow | Apricot | Summer | S | 3 | 4 | Su | | | | | 25 | SD |
| 2 | <i>Acacia angustissima</i> | White Ball Acacia | White | Late Spring to Late Summer | S | 5 | 5 | Su | | c | | | -10 | SD |
| 2 | <i>Acacia notabilis</i> | Notable Acacia | Yellow | Late Spring | S | 8 | 15 | Su | | c | | | 20 | Austr. |
| 2 | <i>Acacia redolens</i> | Prostrate Acacia | Yellow | Spring | S, Gc | 5 | 12 | Su | | c | | | 20 | Austr. |
| 2 | <i>Aloysia gratissima</i> | Fragrant Bush, Bee Bush | White | Spring | S | 6 | 8 | Su | | | Yes | Yes | 15 | SD, CD |
| 2 | <i>Aloysia wrightii</i> | Wright's Bee Bush | White | Spring to Fall | S | 4 | 4 | Su | | | | | 15 | SD, CD |
| 1 | <i>Ambrosia deltoidea (Franseria)</i> | Triangle-leaf Bursage | inconspicuous | Mid-Winter to mid- Spring | S | 2 | 2 | Wi | | a | | | 22 | SD |
| 1 | <i>Ambrosia dumosa (Franseria)</i> | White Bursage | inconspicuous | Mid-Winter to mid- Spring | S | 2 | 2 | Wi | | a | | | 22 | SD |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| SHRUBS plus S/accent, S/groundcover, S/vine, S/perennial | | | | | | | | | | | | | | |
|--|---|----------------------------------|----------------------------|-----------------------------|-------|----|----|----|--------|----|-----|-----|-----|--------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 3 | <i>Amsonia grandiflora</i> | Large-flowered Blue Star | White tinged with Lavender | Spring to early Summer | S, P | 3 | 3 | Su | | | | | -10 | SD |
| 2 | <i>Anisacanthus quadrifidus</i> & varieties | Flame Anisacanthus | Orange, Red | Summer to Fall | S | 5 | 5 | Su | | | | | 5 | CD |
| 2 | <i>Anisacanthus thurberi</i> | Desert Honeysuckle | Orange | Spring to Fall | S | 6 | 4 | Su | | | | | 10 | SD |
| 2 | <i>Artemisia ludoviciana</i> | Prairie Sagebrush, Wormwood | inconspicuous | July-Oct | S, Gc | 1 | 3 | Su | | a | | | -40 | SD |
| 3 | <i>Asclepias linaria</i> | Pine Leaf Milkweed | White | Spring to Fall | S | 3 | 3 | Su | Yes | | | | 20 | SD, CD |
| 1 | <i>Atriplex canescens</i> | Four-Wing Saltbush | inconspicuous | Spring to Fall | S | 4 | 8 | Su | | a | | | 15 | SD, CD |
| 2 | <i>Atriplex lentiformis</i> | Quail Bush | Greenish | Late Winter to Spring | S | 10 | 15 | Su | | a | | | 15 | SD |
| 2 | <i>Atriplex lentiformis breweri</i> | Brewer Saltbush | Light Yellow | Summer | S | 10 | 10 | Su | | a | | | 15 | SD |
| 1 | <i>Atriplex nummularia</i> | Old Man Saltbush | inconspicuous | | S | 9 | 15 | Su | | a | | | 15 | Austr. |
| 1 | <i>Atriplex polycarpa</i> | Desert Saltbush | inconspicuous | | S | 3 | 6 | Su | | a | | | 0 | SD |
| 2 | <i>Atriplex semibaccata</i> | Australian Saltbush | inconspicuous | April through September | S | 1 | 6 | Su | | a | | | 22 | Austr. |
| 2 | <i>Baccharis sarothroides</i> and hybrids (male varieties only) | Desert Broom | Cream, White | Fall | S | 9 | 9 | Su | | a | | | 15 | SD |
| 3 | <i>Bauhinia lunaroides</i> | Pink or White Orchid Tree | Pink, White | Spring to early Summer | S | 12 | 10 | Su | | | | | 5 | CD |
| 2 | <i>Bebbia juncea</i> | Sweet Bush, Chuckwalla's Delight | Yellow | Spring to Fall | S, P | 4 | 4 | Su | | | | Yes | 15 | SD, CD |
| 3 | <i>Berberis harrisoniana</i> | Barberry | Yellow | Late-Winter to early-Spring | S | 3 | 3 | Su | | | | | 15 | SD |
| 2 | <i>Berberis trifoliata</i> | Algerita | Yellow | Spring | S | 8 | 8 | Su | | | | | 15 | SD |
| 2 | <i>Bougainvillea</i> spp. | Bougainvillea | Purple, Red, Orange, Pink | Late Spring to Fall | S, V | 20 | 20 | Su | | | | | 20 | Brazil |
| 1 | <i>Buddleia marrubifolia</i> | Wooly Butterfly Bush | Orange | Spring and Summer | S | 5 | 5 | Su | | | | | 15 | CD |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| SHRUBS plus S/accent, S/groundcover, S/vine, S/perennial | | | | | | | | | | | | | | |
|--|--|-----------------------------------|-------------------------|-----------------------|-------|-----|-----|----|--------|----|-----|-----|-------|----------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 3 | <i>Caesalpinia cacalaco</i> | Cascalote | Yellow | Winter | S | 15 | 18 | Su | Yes | | | | 20 | Mex. |
| 2 | <i>Caesalpinia gilliesii</i> (Poinciana) | Yellow Bird of Paradise | Yellow with Red stamens | Late Spring to Fall | S | 10 | 6 | Su | Yes | | Yes | Yes | 10 | S. Amer. |
| 2 | <i>Caesalpinia mexicana</i> (Poinciana) | Mexican Bird of Paradise (yellow) | Yellow | Spring to Summer | S | 15 | 10 | Su | Yes | | Yes | Yes | 20 | CD |
| 3 | <i>Caesalpinia pulcherrima</i> | Red Bird of Paradise | Red, Orange | Summer | S | 6-8 | 6 | Su | Yes | | | | 28 RH | Caribb. |
| 2 | <i>Calliandra californica</i> | Baja Fairy Duster | Red | Spring through Fall | S | 6 | 6 | Su | | | | | 25 | SD |
| 1 | <i>Calliandra eriophylla</i> | Fairy Duster, False Mesquite | Pink | Spring | S | 3 | 4 | Su | | | | | 10 | SD |
| 2 | <i>Calliandra peninsularis</i> | Red Calliandra, Baja Fairy Duster | Red | Winter to Spring | S | 6 | 6 | Su | | | | | 25 | SD |
| 2 | <i>Cassia artemisioides</i> (Senna) | Wormwood Senna, Feathery Cassia | Yellow | Late Winter to Spring | S | 5 | 5 | Wi | | | | | 20 | Austr. |
| 2 | <i>Cassia nemophila</i> (C. eremophila) | Green Cassia | Yellow | Winter to Spring | S | 9 | 6 | Wi | | | Yes | Yes | 20 | Austr. |
| 2 | <i>Cassia phyllodinea</i> | Silvery Cassia | Yellow | Winter to Spring | S | 6 | 6 | Wi | | | | | 20 | Austr. |
| 1 | <i>Celtis pallida</i> | Spiny or Desert Hackberry | Greenish-yellow | Spring | S | 16 | 10 | Su | | a | | | 17 | SD, CD |
| 2 | <i>Chrysactinia mexicana</i> | Damianita Daisy | Yellow-Gold | Spring and Fall | S | 2 | 2 | Su | | | | | 0 | SW U.S. |
| 1 | <i>Condalia warnockii</i> v. <i>kearneyana</i> | Condalia, Mexican Pincushion | White | Early Spring | S | 6 | 5 | Su | | | | | 10-15 | SD, CD |
| 2 | <i>Convolvulus cneorum</i> | Bush Morning Glory | White | Late Spring to Fall | S, Gc | 2 | 3 | Wi | Yes | | | | 15 | S. Eur. |
| 2 | <i>Cordia parvifolia</i> | Littleleaf Cordia | White | Spring to Fall | S | 8 | 10 | Su | | | | | 15 | SD, CD |
| 2 | <i>Dalea bicolor</i> & varieties | Dalea Bicolor | Blue | Fall | S | 6-8 | 5-6 | Su | | | | | 10 | CD |
| 3 | <i>Dalea frutescens</i> | Black Dalea | Pink, Rose to Purple | Late Fall | S | 4 | 5 | Su | | | | | 15 | CD |
| 2 | <i>Dalea pulchra</i> | Indigo Bush | Pink, Purple | Winter, early Spring | S | 6 | 5 | Su | | | | | 0 | SD |
| 3 | <i>Dalea versicolor</i> v. <i>sessilis</i> | Indigo Bush, Dalea | Purple | Fall to early Spring | S | 4 | 5 | Su | | | | | 0 | SD |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| SHRUBS plus S/accent, S/groundcover, S/vine, S/perennial | | | | | | | | | | | | | | |
|--|---|-------------------------------------|----------------------------|-----------------------|------|-----|-----|--------|--------|----|-----|-----|-----|--------------------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 2 | <i>Dodonaea viscosa</i> & varieties | Hopbush | Green, inconspicuous | Spring to Fall | S | 15 | 12 | Su | | | | | 20 | SD, CD |
| 1 | <i>Encelia californica</i> | California Brittlebush (green) | Yellow | Winter to Spring | S | 4 | 4 | Wi | | c | | | 15 | So. Calif. |
| 1 | <i>Encelia farinosa</i> | Brittlebush | Yellow | Early Spring | S | 3 | 3 | Wi | | c | | | 15 | SD |
| 1 | <i>Ephedra nevadensis</i> | Ephedra, Morman Tea | Green inconspicuous | Spring | S | 5 | 4 | Su | Yes | | | | 0 | SD |
| 1 | <i>Eremophila decipiens</i> | Emu Bush | Dark red | Winter to Spring | S | 5 | 5 | Su | | | | | 17 | Austr. |
| 2 | <i>Eremophila hybrid</i> | Summertime Blue | Blue | Spring through Summer | S | 6 | 6 | Su, Wi | | | | | 25 | Austr. |
| 2 | <i>Eremophila laanii</i> 'pink beauty' | Emu Bush | Pink | Spring | S | 8 | 8 | Su, Wi | | | | | 25 | Austr. |
| 2 | <i>Eremophila maculata</i> 'valentine' | Valentine Emu Bush | Red | Early to late Spring | S | 5 | 6 | | | | | | 20 | Austr. |
| 2 | <i>Ericameria laricifolia</i> & cultivars (<i>Haplopappus laricifolius</i>) | Turpentine Bush | Yellow | Fall | S | 2-3 | 2-3 | Su | | | | | -10 | SD |
| 2 | <i>Eriogonum fasciculatum</i> v. <i>poliofolium</i> | Flattop Buckwheat | White to Pink | Summer | S | 1.5 | 2 | Wi | | | | | 15 | S. CA, AZ, UT |
| 2 | <i>Eriogonum wrightii</i> | Wright Buckwheat | White to Pink | Summer to early Fall | S | 1.5 | 2 | Wi | | | | | 23 | SD |
| 1 | <i>Euphorbia antisiphilitica</i> | Wax Plant, Candelilla | Creamy White - Red centers | Spring and mid-Summer | S | 3 | 3 | Su | | | | | 17 | CD |
| 1 | <i>Fouquieria maddougali</i> | Mexican Tree Ocotillo | Red | Spring | S, A | 6 | 4 | Su | | | | | 25 | SD |
| 2 | <i>Gossypium harknessii</i> | Gossypium, Wild Cotton | Yellow | Spring and Fall | S | 3 | 3 | Su | | | | | 25 | SD |
| 1 | <i>Gutierrezia sarothrae</i> | Snakeweed | Yellow | Early Fall | S, P | 2 | 2 | Su | | | | Yes | -38 | W. U.S., CAN, Mex. |
| 3 | <i>Hamelia patens</i> | Texas Firecracker Bush | Red, Orange | Summer | S | 10 | 5 | Su | | | | | 10 | FL, Carib. |
| 2 | <i>Hibiscus coulteri</i> | Yellow Hibiscus, Coulter's Hibiscus | Pale Yellow | late Spring to Fall | S | 3 | 3 | Su | | | | | 10 | SD, CD |
| 1 | <i>Hyptis albida</i> (<i>emoryii</i>) | Desert Lavender | Purple | Spring through Fall | S | 8 | 8 | Su | | | | | 25 | SD |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| SHRUBS plus S/accent, S/groundcover, S/vine, S/perennial | | | | | | | | | | | | | | |
|--|--|------------------------------|---|-------------------------|----|------|------|----|--------|----|-----|-----|-----------|------------------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 1 | <i>Jatropha cardiophylla</i> | Limberbush | inconspicuous White | Summer | S | 3 | 4 | Su | | | | | 20 | SD |
| 1 | <i>Jatropha dioica</i> | Jatropha | inconspicuous | Summer | S | 3 | 3 | Su | | | | | 15 | CD |
| 3 | <i>Juniperus sabina</i> | Sabine Juniper | inconspicuous | | S | 1.5 | 8 | Su | | b | | | -30 | AZ |
| 2 | <i>Justicia californica and cultivars (Beloperone)</i> | Chuparosa | Red | Spring | S | 3 | 4 | Su | | | | | 20 | SD |
| 2 | <i>Justicia candicans</i> | Red Jacobinia | Red, orange | Fall to Spring | S | 5 | 3 | Su | | | | | 25 | SD |
| 3 | <i>Justicia fulvicoma</i> | Mexican Plume | Reddish Orange | Spring and Fall | S | 2 | 3 | Su | | | | | 20 | Mex. |
| 3 | <i>Justicia spicigera</i> | Firecracker Bush | Orange | Summer to Winter | S | 4 | 4 | Su | | | | | 24 | Mex. |
| 3 | <i>Lantana camara and cultivars</i> | Bush Lantana | Orange, Yellow, Red, Pink | Spring to Fall | S | 3 | 4 | Su | | | Yes | Yes | 10- 20 | U.S., Tropics |
| 1 | <i>Larrea tridentata (divaricata)</i> | Creosote Bush, Greasewood | Yellow | Early Spring to Fall | S | 8 | 8 | Su | | | | | 5 | SD, CD |
| 2 | <i>Leucophyllum spp. & varieties</i> | Texas Ranger | varies by species Pink, Purple, Lavender, White | Summer humidity | S | 3-10 | 3-10 | Su | | | | | 5- 10 | CD |
| 2 | <i>Lycium andersonii</i> | Desert Wolfberry | Lavender, followed by Red berries | Spring | S | 6 | 6 | Su | | | | | 20 | SD |
| 1 | <i>Lycium exsertum</i> | Thornbush | White-Purple followed by Red berries | Spring | S | 8 | 8 | Su | | | | | 10 | SD |
| 1 | <i>Lycium fremontii</i> | Wolfberry, Tomatillo | White- Lavender followed by Red berries | Spring | S | 10 | 8 | Su | | | | | 20 | SD |
| 2 | <i>Lycium pallidum</i> | Desert Thorn | White, followed by Red berries | Spring | S | 3-9 | 4-6 | Su | | | | | 10 | SD, Mojave D |
| 1 | <i>Maireana sedifolia</i> | Pearl Bluebush | Tan inconspicuous | | S | 2 | 3 | | | | | | 25 | Austr. |
| 2 | <i>Maytenus phyllanthoides</i> | Mangle Dulce | Green inconspicuous | | S | 12 | 12 | Su | | | | | 15 | SD, CD |
| 2 | <i>Mimosa dysocarpa</i> | Velvetpod | Pink, White | Summer | S | 6 | 6 | Su | | c | | | 15 | SD |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| SHRUBS plus S/accent, S/groundcover, S/vine, S/perennial | | | | | | | | | | | | | | |
|--|---|---------------------------------|--|------------------------|----------|------|------|----|--------|----|-----|-----|------|------------------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 3 | <i>Myrtus communis</i> & varieties | True Myrtle, Roman Myrtle | White | Spring | S | 6 | 5 | Su | | | | | 20 | Medit. |
| 3 | <i>Nandina domestica</i> & varieties | Heavenly Bamboo | White followed by Red berries | Spring | S | 6 | 4 | Su | | | | | 15 | Asia |
| 2 | <i>Nerium oleander</i> & varieties | Oleander | Pink, White, Red, Salmon | Mid-Spring to Fall | S | 4-20 | 5-12 | Su | Yes | | | | 20 | Asia |
| 3 | <i>Pittosporum tobira</i> & cultivars | Mock Orange | White | | S | 6 | 10 | Su | | | | | 29 | Asia |
| 3 | <i>Poliomintha maderensis</i> | Lavendar Spice | Lavender | Spring through Summer | S | 2 | 2 | Su | | | | | 20 | CD |
| 3 | <i>Pyracantha</i> & varieties | Pyracantha (red berried types) | White followed by Red berries | Spring | S | 20 | 12 | Su | | | | | 0-10 | Asia |
| 2 | <i>Quercus turbinella</i> | Shrub Live Oak | Green inconspicuous | | S | 10 | 10 | Su | | b | | | 5 | W. U.S. |
| 2 | <i>Rhus microphylla</i> | Littleleaf Sumac | White, Red Fall Color | Spring before leaves | S | 10 | 10 | Su | Yes | c | | | 20 | CD, SD |
| 2 | <i>Rhus ovata</i> | Sugar Bush, Sugar Sumac | Pink & White followed by small red fruit | Spring | S | 15 | 15 | Wi | Yes | c | | | 15 | Calif., AZ |
| 2 | <i>Rhus trilobata</i> & varieties | Three Leaf Sumac, Skunk, Bush | inconspicuous, small red fruit, Fall color | Spring | S | 5 | 8-10 | Su | | c | | | -40 | Can., U.S., Mex. |
| 2 | <i>Rhus virens</i> | Evergreen Sumac | White followed by showy berries | Spring | S | 12 | 12 | Su | Yes | c | | | 15 | CD, SD |
| 3 | <i>Rosa banksiae</i> | Lady Banks Rose, Tombstone Rose | White, Yellow | Spring | S, Gc, V | 20 | 20 | Su | | | | | 10 | China |
| 2 | <i>Rosmarinus officinalis</i> & varieties | Rosemary | Blue | Spring and Fall | S | 3 | 8 | Su | | | | | 15 | Medit. |
| 2 | <i>Ruellia californica</i> | Sonoran Desert Ruellia | Blue, Purple | Late Spring to Fall | S | 4 | 4 | Su | | | | | 28 | SD |
| 2 | <i>Ruellia peninsularis</i> | Baja Ruellia | Blue, purple | Spring to Summer | S | 4 | 4 | Su | | | | | 25 | SD |
| 2 | <i>Salvia chamaedryoides</i> | Blue Chihuahuan Sage | Cobalt blue | Spring and Fall | S | 2 | 2 | Su | | | | | 15 | CD |
| 2 | <i>Salvia clevelandii</i> | Cleveland Sage | Blue | Late Spring to Summer | S | 5 | 5 | Wi | | | | | 15 | S. CA, Baja |
| 2 | <i>Salvia dorrii</i> v. <i>dorrii</i> | Mojave Sage | Blue-violet | Late Winter and Spring | S | 2 | 2 | Wi | | | | | -25 | MD |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| SHRUBS plus S/accent, S/groundcover, S/vine, S/perennial | | | | | | | | | | | | | | |
|--|--|---------------------------------|------------------------------|-----------------------|------|-----|-----|----|--------|----|-----|-----|-------|------------------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 3 | <i>Salvia farinacea</i> | Mealy Cup Sage, Texas Violet | Violet, Blue, White | Spring to early Fall | S | 1 | 1 | Su | | | | | -10 | CD |
| 3 | <i>Salvia greggii</i> | Red Chihuahan Sage, Autumn Sage | Red, Hot Pink, Purple, White | Spring to Summer | S | 3 | 3 | Su | | | | | 5 | CD |
| 2 | <i>Salvia hybrid (S.dorrii x S.clevelandii x S.mojavensis)</i> | Trident, Carl Nielson Sage | Cobalt Blue | Spring | S | 3 | 3 | Wi | | | | | 20-30 | SD hybrid |
| 3 | <i>Salvia leucantha</i> | Purple Mexican Bush Sage | Purple | Spring to Fall | S | 4 | 4 | Su | | | | | 25 | Mex. |
| 2 | <i>Salvia mohavensis</i> | Mohave Sage | Lavender | Spring to mid- Summer | S | 3 | 3 | Wi | | | | | 5 | SD, MD |
| 2 | <i>Santolina chamaecyparissus</i> | Lavender Cotton | Yellow/ silvery foliage | Spring | S | 2 | 3 | Wi | | | | | -10 | Medit. |
| 3 | <i>Santolina virens</i> | Green Santolina | Creamy Yellow | Spring | S | 2 | 2 | Wi | | | | | -20 | Medit. |
| 2 | <i>Senna lindheimeriana (Cassia)</i> | Senna | Yellow | Summer to Fall | S | 3 | 2 | Wi | | | | | 0 | CD |
| 1 | <i>Senna purpussi (Cassia)</i> | Baja Senna | Yellow | Winter to Spring | S | 6 | 5 | Wi | | | | | 25-30 | Baja |
| 2 | <i>Senna wislizenii (Cassia)</i> | Cassia, Shrubby Senna | Yellow | Summer | S | 8 | 8 | Su | | | | | 10 | SD, CD |
| 1 | <i>Simmondsia chinensis & varieties</i> | Jojoba, Goat Nut | Green inconspicuous | Spring | S | 8 | 8 | Wi | | a | | | 15 | SD |
| 3 | <i>Tecoma capensis (Tecomaria capensis)</i> | Cape Honeysuckle | Orange | Late Fall to Winter | S, V | 8 | 6 | Su | | | | | 28 | Africa |
| 2 | <i>Tecoma stans v. angustata</i> | AZ Yellow Bells | Yellow | Late Spring to Fall | S | 10 | 8 | Su | | | | | 5 | SD, CD |
| 2 | <i>Teucrium fruticans</i> | Bush Germander | Blue or Lavender | Spring to Fall | S | 8 | 8 | Su | | | | | 10 | Medit. |
| 2 | <i>Trixis californica</i> | Trixis | Yellow | Spring | S | 3.5 | 3.5 | Su | | | | | 15 | CA to TX |
| 2 | <i>Vauquelinia corymbosa & varieties</i> | Mexican Rosewood | White inconspicuous | Spring | S | 15 | 20 | Su | | | | | -10 | TX, Mex. |
| 3 | <i>Viguiera stenoloba</i> | Skeleton-leaf Goldeneye | Yellow | Summer to Fall | S | 4-6 | 3-4 | Su | | | | | 10 | TX, NM, No. Mex. |
| 3 | <i>Wedelia texana and cultivars (Zexmenia hispida)</i> | Rough Zexmenia, Devil's River | Orange, Yellow | Spring through Fall | S | 2-3 | 2-4 | Su | | | | Yes | 10 | SW U.S., TX |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| HERBACEOUS PERENNIALS | | | | | | | | | | | | | | |
|-----------------------|--|----------------------------|---------------------------|-----------------------------|----|-----|-----|--------|--------|----|-----|-----|-----|--------------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 1 | <i>Asclepias subulata</i> | Desert Milkweed | Pale Yellow, White | Late-Spring to Fall | P | 3 | 3 | Su | Yes | | | | 20 | SD |
| 1 | <i>Bahia absinthifolia</i> | Desert Daisy | Yellow | Spring to Fall | P | 1 | 0.5 | Wi | | | | | 15 | SD |
| 1 | <i>Baileya multiradiata</i> | Desert Marigold | Yellow | Spring through Fall | P | 1 | 1 | Wi | Yes | | | | 10 | SD, CD |
| 3 | <i>Berlandiera lyrata</i> | Chocolate Flower | Yellow with Maroon center | Spring to Fall | P | 2 | 2 | Su | | | | Yes | 0 | SE. AZ |
| 3 | <i>Centaurea cineraria</i> | Dusty Miller | Purple, Yellow | Summer | P | 3 | 3 | Wi | | | | | 15 | Medit. |
| 2 | <i>Dicliptera resupinata</i> | Native Dicliptera | Purple | Spring to Fall | P | 2 | 3 | Su | | | | Yes | 17 | SD, CD |
| 2 | <i>Gaillardia aestivalis</i> spp. <i>Winkleri</i> | Winkler Gaillardia | | | P | 2 | 3 | Wi | | | | | 0 | TX |
| 2 | <i>Gaillardia pinnatifida</i> | Blanket Flower | | Late Spring to early Fall | P | 2 | 2 | Wi | | | | | -30 | SW U.S. |
| 1 | <i>Glandularia gooddingii</i> (<i>Verbena</i>) | Goodding Verbena | Lavender, Pink | Spring | P | 1.5 | 3 | Wi, Sp | | | | | 10 | SD |
| 3 | <i>Glandularia peruviana</i> (<i>Verbena peruviana</i>) | Peruvian Verbena | Pink, Blue, Purple | Spring to Fall | P | 0.2 | 3 | Su | | | | | 15 | S. Amer. |
| 3 | <i>Glandularia pulchella</i> (<i>V. tenuisecta</i> , <i>V. tenera</i>) | Moss Verbena, Rock Verbena | Purple | Spring to Fall | P | 1 | 5 | Su, Wi | | | | Yes | 20 | S. Amer. |
| 2 | <i>Penstemon ambiguus</i> | Pink Plains Penstemon | Pink | Summer | P | 3 | 3 | Su | | | | | 10 | W. U.S. |
| 3 | <i>Penstemon amphorellae</i> | Mexican Blue Penstemon | Blue | Late Spring | P | 1 | 2 | Su | | | | | 0 | Central Mex. |
| 3 | <i>Penstemon baccharifolius</i> | Cutleaf Penstemon | Red-Rose | Summer | P | 2 | 3 | Su | | | | | 10 | CD |
| 3 | <i>Penstemon barbatus</i> | Beardtongue Penstemon | Red | Summer to early Fall | P | 1 | 1 | Wi | | | | | 5 | SD, CD |
| 3 | <i>Penstemon cardinalis</i> | Cardinal Penstemon | Red | Spring, Summer | P | 1 | 1-2 | Wi | | | | | 5 | TX |
| 3 | <i>Penstemon cobaea</i> | Foxglove Penstemon | White-lavender | Spring | P | 1 | 1 | Wi | | | | | -25 | TX? |
| 3 | <i>Penstemon eatoni</i> | Firecracker Penstemon | Red | Late Winter to Early Spring | P | 1 | 1 | Wi | | | | | -30 | SD |
| 3 | <i>Penstemon fendleri</i> | Fendler Penstemon | Violet | Spring through Summer | P | 1 | 1 | Wi | | | | | 5 | OK, AZ, NM |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| HERBACEOUS PERENNIALS | | | | | | | | | | | | | | |
|-----------------------|--|--|----------------------------|------------------------------|----|---|---|----|--------|----|-----|-----|-----|------------------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 3 | <i>Penstemon grandiflorus</i> | Large Fendler Penstemon | Lavender | Early Summer | P | 1 | 1 | Wi | | | | | -40 | TX |
| 3 | <i>Penstemon palmeri</i> | Palmer Penstemon | White, Pink | Spring through Summer | P | 2 | 2 | Wi | | | | | 5 | SW U.S. |
| 3 | <i>Penstemon parryi</i> | Parry Penstemon | Pink, Red | Early Spring | P | 1 | 1 | Wi | | | Yes | Yes | 15 | SD |
| 3 | <i>Penstemon pinifolius</i> | Pineleaf Penstemon | Red, Orange | Summer | P | 1 | 2 | Su | | | | | -40 | No. AZ, UT |
| 3 | <i>Penstemon pseudospectabilis</i> | Canyon Penstemon, Mohave Beardtongue | Rose-purple | Spring to mid-Summer | P | 1 | 1 | Wi | | | | | 5 | SD |
| 3 | <i>Penstemon spectabilis</i> | Mojave Penstemon, Royal Penstemon | Blue-purple | Spring to mid-Summer | P | 1 | 1 | Wi | | | | | 15 | CA, N. Baja Mex. |
| 3 | <i>Penstemon strictus</i> | Rocky Mountain Penstemon | Blue | Early Summer | P | 1 | 1 | Su | | | | | -30 | W. U.S. |
| 3 | <i>Penstemon subulatus</i> | Little Beardtongue | Red | Spring | P | 1 | 1 | Wi | | | | | | SD |
| 3 | <i>Penstemon superbus</i> | Superb Penstemon, Santa Rita Penstemon | Coral-red | Spring | P | 2 | 2 | Wi | | | | | -30 | CD, SD, N.M. |
| 3 | <i>Penstemon triflorus</i> | Hill Country Penstemon | Rose | Early Spring | P | 1 | 1 | Wi | | | | | 10 | TX |
| 3 | <i>Penstemon wrightii</i> | Texas Rose, Wright's Penstemon | Orange- Pink | Spring to Summer | P | 1 | 1 | Wi | | | | | 10 | TX |
| 1 | <i>Psilostrophe cooperi</i> | Paper Flower | Yellow | Spring and Summer | P | 2 | 2 | Wi | | | | | 15 | SD, CD |
| 1 | <i>Psilostrophe tagetina</i> | Paper Flower | Yellow | Spring and Summer | P | 2 | 2 | Wi | | | | | 10 | SD, CD |
| 2 | <i>Senecio cineraria</i> | Dusty Miller, Silver Plant | Yellow/silvery foliage | Spring | P | 2 | 2 | Wi | Yes | | | | 15 | Medit. |
| 1 | <i>Senna covesii (Cassia)</i> | Desert Senna | Yellow | Late Spring to early Fall | P | 1 | 1 | Su | | | | | 15 | SD |
| 2 | <i>Sphaeralcea ambigua & varieties</i> | Globe Mallow | Orange, White, Red, Purple | Early Spring and Fall | P | 3 | 3 | Wi | | | | | 15 | SD |
| 3 | <i>Tagetes lemmonii</i> | Mountain Marigold | Orange, Yellow | Spring and Fall | P | 3 | 6 | Su | | | | | 28 | SD |
| 2 | <i>Tetraneuris acaulis (Hymenoxys)</i> | Angelita Daisy | Yellow | All Year, heaviest in Spring | P | 1 | 1 | Su | | | | | 10 | SW U.S. |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| HERBACEOUS PERENNIALS | | | | | | | | | | | | | | |
|-----------------------|--|----------------|----------------------|---------------------|----|---|---|--------|--------|----|-----|-----|----|------------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 2 | <i>Viguiera parishii</i> (<i>V. deltoidea</i>) | Goldeneye | Yellow | Spring, Late Summer | P | 3 | 3 | Wi, Su | | | | | 0 | SD |
| 1 | <i>Zinnia acerosa</i> | Desert Zinnia | White-orange centers | Late Spring to Fall | P | 1 | 1 | Su | | | | | 15 | SD, CD |
| 2 | <i>Zinnia grandiflora</i> | Prairie Zinnia | Yellow, Orange | Summer to Fall | P | 1 | 1 | Su | | | | | 10 | SE. AZ, NM |

| ACCENT plus A/cactus, A/succulent | | | | | | | | | | | | | | |
|-----------------------------------|---|-----------------------------------|--------------------------------|-------------------------------|-------|---|---|----|--------|----|-----|-----|-----|---------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 1 | <i>Agave americana</i> & Varieties | Century Plant | Yellow | Once (Summer) | A, Sc | 7 | 8 | Su | | | | | 20 | CD |
| 2 | <i>Agave angustifolia</i> v. <i>marginata</i> | Narrow leaf Agave | Greenish-Yellow | Once (Summer to Fall) | A, Sc | 3 | 4 | Su | | | | | 20 | Mex. |
| 2 | <i>Agave bovicornuta</i> | Cow's Horn Agave | Yellow | Once (Spring to Summer) | A, Sc | 3 | 4 | Su | | | | | 19 | Mex. |
| 2 | <i>Agave bracteosa</i> | Spider Agave | White, orange | Once (Summer) | A, Sc | 2 | 2 | Su | | | | | 10 | |
| 2 | <i>Agave celsii</i> | Agave | Greenish with purple/red tinge | Once | A, Sc | 2 | 2 | Su | | | | | 15 | E. Mex. |
| 2 | <i>Agave chrysantha</i> | Golden Flower Agave | Yellow | Once (Summer) | A, Sc | 3 | 4 | Su | | | | | 15 | AZ |
| 2 | <i>Agave colorata</i> | Mescal Ceniza, Blue Century Plant | Yellow | Once (Spring to early Summer) | A, Sc | 3 | 3 | Su | | | | | 15 | SD |
| 2 | <i>Agave desmettiana</i> & varieties | Smooth Agave | Pale Yellow | Once (Spring) | A, Sc | 3 | 6 | Su | | | | | 25 | Mex. |
| 2 | <i>Agave filifera</i> | Thread-leaf Agave | Green then reddish | Once (Summer) | A, Sc | 2 | 3 | Su | | | | | 17 | CD |
| 2 | <i>Agave geminiflora</i> -solitary | Twin-flowered Agave | Yellow tinged with red | Once (Fall to Winter) | A, Sc | 3 | 3 | Su | | | | | 20 | Mex. |
| 2 | <i>Agave havardiana</i> | Havard Agave | Greenish Yellow | Once (Spring) | A, Sc | 3 | 4 | Su | | | | | -10 | CD |
| 2 | <i>Agave lophantha</i> (<i>univittata</i>) | Holly Agave; Center Stripe Agave | Greenish Yellow | Once | A, Sc | 3 | 6 | Su | | | | | 20 | CD |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| ACCENT plus A/cactus, A/succulent | | | | | | | | | | | | | | |
|-----------------------------------|--|----------------------------|-------------------------------|--|-------|-----|-----|----|--------|----|-----|-----|-----|----------------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 2 | <i>Agave macroacantha</i> | Black Spine Agave | Green | Once | A, Sc | 2 | 2 | Su | | | | | 25 | Mex. |
| 2 | <i>Agave montana</i> | Mountain Agave | Green, Creamy White | Once | A, Sc | 4 | 6 | Su | | | | | 5 | Mex. |
| 2 | <i>Agave multifilifera</i> | Chahuiqui | Light Green with Pink Margins | Once | A, Sc | 3 | 5 | Su | | | | | 15 | CD |
| 2 | <i>Agave murpheyi</i> | Murphy Agave | Pale Green | Once (Fall) produces bulbils on flower stalk | A, Sc | 3 | 3 | Su | | | | | 10 | SD |
| 2 | <i>Agave ocahui</i> | Ocahui Agave | Yellow | Once (Spring to Summer) | A, Sc | 3 | 3 | Su | | | | | 10 | SD |
| 2 | <i>Agave ovatifolia</i> | Whales Tongue Agave | Pale Green | Once | A, Sc | 3 | 3 | Su | | | | | 20 | Mex. |
| 2 | <i>Agave palmeri</i> | Palmer Agave | Pale Green | Once (Summer) - produces bulbils on flower stalk | A, Sc | 4 | 4 | Su | | | | | 10 | SD |
| 2 | <i>Agave parrasana</i> | Parras Agave | Yellow | Once | A, Sc | 2 | 2 | Su | | | | | 15 | Mex. |
| 2 | <i>Agave parryi</i> & varieties | Parry's Agave | Yellow | Once (Summer) | A, Sc | 2 | 2 | Su | | | | Yes | -20 | CD |
| 2 | <i>Agave parryi</i> var. <i>huachucensis</i> | Huachuca Agave | Pink buds open to Yellow | Once (Late Spring to early Summer) | A, Sc | 2 | 3 | Su | | | Yes | Yes | 5 | SD |
| 2 | <i>Agave parviflora</i> | Small Flowered Agave | Pale Yellow | Once (Summer) | A, Sc | 0.5 | 0.7 | Su | | | | | 10 | SD |
| 2 | <i>Agave pelona</i> | Mescal Pelon | Red | Once (Spring) | A, Sc | 2 | 2.5 | Wi | | | | | 20 | SD |
| 2 | <i>Agave potatorum</i> | Butterfly Agave | Pale Green | Once | A, Sc | 1 | 2 | Su | | | | | 25 | Oaxaca Mex. |
| 2 | <i>Agave salmiana</i> ssp. <i>Ferox</i> | Pulque Agave, Salm's Agave | Yellow above Green below | Once | A, Sc | 4 | 6 | Su | | | | | 15 | Central Mex. |
| 2 | <i>Agave scabra</i> | Rough-leaved Agave | Yellow | Once (Late Spring to Fall) | A, Sc | 4 | 4 | Su | | | | | 15 | CD |
| 2 | <i>Agave schidigera</i> | Agave | Dark Purple | Once (Fall to Spring) | A, Sc | 2 | 3 | Su | | | | | 15 | Durango Mex. |
| 2 | <i>Agave shawii</i> | Shaw's Agave | Yellow | Once (Spring) | A, Sc | 3 | 5 | Su | | | | | 20 | Baja Cal. Mex. |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| ACCENT plus A/cactus, A/succulent | | | | | | | | | | | | | | |
|-----------------------------------|---|-----------------------------|--|--|-------|----|---|----|--------|----|-----|-----|-----|----------------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 2 | <i>Agave striata</i> | Needle-leaf Agave, Espidine | Yellow, sometimes Red- Purple | Once (Summer) | A, Sc | 3 | 3 | Su | | | | | 15 | Mojave D |
| 2 | <i>Agave utahensis</i> | Utah Agave | Yellow | Once | A, Sc | 1 | 2 | Su | | | | | -10 | Mojave D |
| 2 | <i>Agave victoriae-reginae</i> & varieties | Queen Victoria Agave | Reddish Purple | Once (Summer) | A, Sc | 1 | 2 | Su | | | | | 10 | Mex. |
| 2 | <i>Agave vilmoriniana</i> | Octopus Agave | Yellow | Once (Spring) produces bulbils on flower stalk | A, Sc | 4 | 6 | Su | | | | | 20 | SD |
| 2 | <i>Agave weberi</i> | Weber Agave | Yellow | Once | A, Sc | 4 | 6 | Su | | | | | 10 | Mex. |
| 2 | <i>Aloe x 'Blue Elf'</i> | | Orange-Red | Winter to Spring | A, Sc | 2 | 1 | Wi | | | | | 15 | garden variety |
| 2 | <i>Dasyliion acrotiche</i> | Green Desert Spoon | Cream on single erect flower stalk | Summer to Fall | A | 4 | 5 | Su | | | | | 15 | CD |
| 2 | <i>Dasyliion leiophyllum</i> | Green Desert Spoon | Greenish-yellow on single erect flower stalk | Spring | A | 4 | 6 | Su | | | | | -10 | CD |
| 2 | <i>Dasyliion quadrangulatum (D.longissimum)</i> | Toothless Desert Spoon | Greenish and White | Late Spring | A | 4 | 5 | Su | | | | | 15 | CD |
| 2 | <i>Dasyliion texanum</i> | Green Desert Spoon | Creamy White on single erect flower stalk | Late Spring to early Fall | A | 5 | 5 | Su | | | | | 0 | CD |
| 2 | <i>Dasyliion wheeleri</i> | Sotol, Desert Spoon | Tan on erect stems | Mid to late Summer | A | 4 | 5 | Su | | | | | 0 | SD, CD |
| 2 | <i>Euphorbia rigida (biglandulosa)</i> | Gopher Plant | Chartreuse | Winter to Spring | A, Sc | 2 | 3 | Wi | Yes | | | Yes | 5 | Africa |
| 1 | <i>Fouquieria splendens</i> | Ocotillo | Red | Mid-Spring | A | 15 | 8 | Su | | | | | 10 | SD, CD |
| 2 | <i>Hesperaloe campanulata</i> | Bell Flowering Hesperaloe | Pink | Summer | A | 3 | 3 | Su | | | | | 10 | NM |
| 2 | <i>Hesperaloe funifera</i> | Giant Hesperaloe | Creamy White | Summer | A | 5 | 5 | Su | | | | | 5 | CD |
| 2 | <i>Hesperaloe nocturna</i> | Night Flowering Hesperaloe | White and Green | Spring to Fall | A | 3 | 3 | Su | | | | | 10 | SD |
| 2 | <i>Hesperaloe parviflora</i> & varieties | Red Yucca, Yellow Yucca | Pink, Red, Yellow | Spring and Summer | A | 3 | 4 | Su | | | | | 0 | CD |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| ACCENT plus A/cactus, A/succulent | | | | | | | | | | | | | | |
|-----------------------------------|--|--|------------------------------------|-----------------------------|-------|-----|------|----|--------|----|-----|-----|-------|---------------------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 1 | <i>Lophocereus schottii</i> | Senita | Pink | Spring to Summer | A, C | 15 | 10 | Su | | | | | 0 | SD |
| 1 | <i>Lophocereus schottii, ssp. Monstrosus</i> | Totem Pole Cactus | Pink | Spring to Summer | A, C | 10 | 8 | Su | | | | | 0 | Baja |
| 1 | <i>Nolina beltingii</i> | Belding's Nolina | White | | A | 3 | 6 | Wi | | | | | 15 | Baja |
| 1 | <i>Nolina bigelovii</i> | Beargrass | Cream | Summer | A | 6 | 4 | Su | | | | | 0 | SD |
| 1 | <i>Nolina lindheimeriana</i> | Lindheimer's Nolina | White | | A | 3-4 | 2-3 | Su | | | | | -20 | TX |
| 1 | <i>Nolina matapensis</i> | Tree Beargrass | White | Summer | A | 25 | 6 | Su | | | | | 15 | SD |
| 1 | <i>Nolina microcarpa</i> | Beargrass | Greenish White | Summer | A | 3 | 6 | Su | | | | | 0 | SD |
| 1 | <i>Nolina nelson</i> | Blue Nolina | Green | | A | 4-5 | 6-10 | Su | | | | | 0 | Mex. |
| 1 | <i>Nolina parryi</i> | Parry's Beargrass | | | A | 5 | 5 | Su | | | | | 10 | SD |
| 1 | <i>Nolina texana</i> | Bear Grass | White | Late Spring | A | 3 | 3 | Su | | | | | 0 | TX, NM |
| 1 | <i>Pedilanthus macrocarpus</i> | Slipper Flower, Lady's Slipper, Candelilla | Red-Pink | Spring and Fall | A, Sc | 3 | 3 | Su | Yes | | | | 30 | SD |
| 1 | <i>Stenocereus marginatus (pachycereus)</i> | Mexican Fence Post | Pink or Red outside-whitish inside | Mid-Spring | A, C | 12 | 1 | Su | | | | | 25-30 | Mex. |
| 2 | <i>Yucca aloifolia</i> | Spanish Bayonet Yucca | White | Spring to Summer | A | 10 | 5 | Su | | | | | 15 | SD |
| 1 | <i>Yucca baccata</i> | Banana Yucca | White | Late Spring to Summer | A | 3 | 5 | Su | | | | | 5 | SD, CD |
| 2 | <i>Yucca baileyi</i> | | White | Summer | A | 4 | 2 | Su | | | | | 15 | CO, UT |
| 1 | <i>Yucca brevifolia</i> | Joshua Tree | White, Green | Late Winter to early Spring | A | 20 | 20 | Wi | | | | | 0 | S. Calif, S.W. Utah |
| 2 | <i>Yucca constricta</i> | Buckley Yucca | White | Spring through Summer | A | 5 | 5 | Su | | | | | 0 | TX |
| 2 | <i>Yucca elata</i> | Soaptree Yucca | White | Late Spring to Summer | A | 20 | 8 | Su | | | | | 0 | SD, CD |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| ACCENT plus A/cactus, A/succulent | | | | | | | | | | | | | | |
|-----------------------------------|--------------------------------------|----------------------------|----------------|---------------------|----|------|-----|----|--------|----|-----|-----|-----|------------------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 2 | <i>Yucca faxoniana (carnerosana)</i> | Giant Dagger Yucca | White | Summer | A | 15 | 4 | Su | | | | | 10 | CD |
| 2 | <i>Yucca filifera (australis)</i> | St. Peter's Palm | White | | A | 2.5 | 4 | Su | | | | | 10 | Mex. |
| 2 | <i>Yucca glauca</i> | Soapweed Yucca | White | Summer | A | 3 | 3 | Su | | | | | 25 | U.S. |
| 2 | <i>Yucca harrimaniae</i> | Harriman's Yucca | White | Mid-Summer | A | 6-22 | 18 | Su | | | | | -20 | SW U.S. |
| 2 | <i>Yucca pallida</i> | Paleleaf yucca | White | Late Spring | A | 2 | 2 | Su | | | | | -10 | TX |
| 2 | <i>Yucca rigida</i> | Mexican Blue Dagger Yucca | White | Summer | A | 12 | 5 | Su | | | | | 10 | CD |
| 2 | <i>Yucca rostrate</i> | Beaked Yucca | White | Summer | A | 12 | 9 | Su | | | | | 0 | CD |
| 2 | <i>Yucca schidigera</i> | Mojave Yucca | White | Spring | A | 9-15 | 4-6 | Su | | | | | 10 | W. U.S, Mex. |
| 2 | <i>Yucca schottii</i> | Mountain Yucca | White | Early Summer | A | 15 | 4 | Su | | | | | 0 | SD |
| 2 | <i>Yucca thompsoniana</i> | Thompson Yucca | White | Early Summer | A | 10 | 5 | Su | | | | | -20 | SW TX |
| 2 | <i>Yucca torreyi</i> | Torrey's Yucca | White | Spring | A | 8-15 | 6 | Su | | | | | 0 | TX, NM, No. Mex. |
| 1 | <i>Yucca treculeana</i> | Spanish Dagger, Palma Pita | White | Spring | A | 20 | ? | Su | | | | | 0 | CD, W. TX |
| 1 | <i>Yucca whipplei</i> | Our Lord's Candle | White & Purple | Once (Early-Spring) | A | 3 | 6 | Su | | | | | 10 | SD |

| CACTI | | | | | | | | | | | | | | |
|-------|--|--------------------------|-------------------------|--------------|----|----|---|----|--------|----|-----|-----|------|--------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 1 | <i>Cylindropuntia versicolor (Opuntia)</i> | Staghorn Cholla | Orange, Red, Yellow | Spring | C | 10 | 6 | Su | | | | | 20 | SD |
| 1 | <i>Echinocactus grusonii</i> | Golden Barrel | Yellow | Summer | C | 3 | 2 | Su | | | | | 10 | Mex. |
| 1 | <i>Echinocereus spp.</i> | Hedgehog, Rainbow Cactus | varies by species, Red, | Spring | C | 2 | 2 | Su | | | | | 5-10 | CD,SD |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| CACTI | | | | | | | | | | | | | | |
|-------|--|--------------------------------|--|--|----|-------|-----|----|--------|----|-----|-----|-------|---------------------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| | | | Yellow, Pink, Purple | | | | | | | | | | | |
| 1 | <i>Echinopsis spp. & varieties</i> | Easter Lily, Sea Urchin Cactus | Pink (various) | Spring to Summer | C | 2 | 2 | Su | | | | | 20 | S. Amer. |
| 1 | <i>Ferocactus spp.</i> | Barrel Cactus | varies by species- Yellow, Red, Orange, Purple | Varies Winter through early Fall | C | 5 | 1.5 | Su | | | | | 0-20 | SD, CD |
| 1 | <i>Mamillaria spp.</i> | Pincushion, Fishhook Cactus | varies by species - Cream, Yellow, Red, Pink | Varies by species - Spring to Summer | C | 0.5 | 0.5 | Su | | | | | 15 | CD, SD |
| 1 | <i>Opuntia basilaris</i> | Beavertail Prickly Pear | Hot Pink | Mid Spring | C | 2 | 4 | Su | | | | | 15 | SD |
| 1 | <i>Opuntia engelmannii</i> | Engelmann's Prickly Pear | Orange, Yellow | Spring | C | 5 | 6 | Su | | | | | 10 | SW. U.S., Mex. |
| 1 | <i>Opuntia ficus-indica</i> | Indian Fig | Yellow | Spring | C | 10-15 | 15 | Su | | | | | 15 | Mex. |
| 1 | <i>Opuntia macrocentra violacea</i> | Black Spine Prickly Pear | Yellow, Red | Spring to early Summer | C | 2 | 3 | Su | | | | | 15 | SD |
| 1 | <i>Opuntia microdasys</i> | Bunny Ears Prickly Pear | Yellow | Spring | C | 3 | 6 | Su | | | | | 20 | |
| 1 | <i>Opuntia santa rita 'Tubac'</i> | Purple Pancake | Yellow | Spring | C | 6 | 4 | Su | | | | | 10 | AZ cultivar |
| 1 | <i>Opuntia turpinii</i> | Pinecone Prickly Pear | Pink | Summer | C | 3 | 1 | Su | | | | | 15 | W. Argentina |
| 1 | <i>Opuntia violacea 'Santa Rita'</i> | Santa Rita Prickly Pear | Yellow | Spring | C | 4 | 4 | Su | | | | | 10 | AZ |
| 1 | <i>Peniocereus greggii</i> | AZ Queen of the Night | White | Summer | C | 6-7 | 3 | Su | | | | | 20 | SD |
| 1 | <i>Stenocereus thurberi (Lemaireocereus)</i> | Organ Pipe Cactus | White, Purple | Summer | C | 15 | 12 | Su | | | | | 21-30 | SD |
| 2 | <i>Trichocereus & varieties</i> | Trichocereus Cactus | White, Yellow, Orange, Red | Varies by variety Spring, Summer, Fall | C | 1-15 | 1-5 | Su | | | | | 10 | S. Amer., Argentina |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| SUCCULENTS | | | | | | | | | | | | | | |
|------------|---|--------------------------------|---------------------|--------------------------|----|----|-----|--------|--------|----|-----|-----|----|-----------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 1 | <i>Aloe barbadensis</i> | Aloe Vera, Medicinal Aloe | Yellow, Orange, Red | Late Winter to Summer | Sc | 2 | 2 | Wi | | | | | 25 | Africa |
| 2 | <i>Aloe ferox</i> | Cape Aloe | Orange Red | Late Winter early Spring | Sc | 15 | 3 | Su | | | | | 25 | Africa |
| 1 | <i>Aloe saponaria</i> | Tiger Aloe, Mediterranean Aloe | Yellow, Orange, Red | Winter to Spring | Sc | 1 | 1 | Wi | | | | | 15 | Africa |
| 2 | <i>Aloe variegata</i> | Partridge Breast Aloe | Dark Pink to Red | Winter to Spring | Sc | 1 | 1.5 | Su | | | | | 20 | Africa |
| 3 | <i>Bulbine frutescens and cultivars</i> | Shrubby Bulbine | Yellow to Orange | Fall to Spring | Sc | 2 | 2 | Wi | | | | | 20 | S. Africa |
| 3 | <i>Portulacaria afra</i> | Elephant Food | Pink inconspicuous | rarely blooms in U.S. | Sc | 12 | 12 | Su, Wi | | | | | 25 | S. Africa |

| GROUNDCOVERS plus Gc/vine, Gc/accent, Gc/perennial, Gc/succulent | | | | | | | | | | | | | | |
|--|--|---|-------------------------------|----------------------------|-----------|-----|-----|--------|--------|----|-----|-----|-----------|----------------------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 3 | <i>Carpobrotus edulis (Mesembryanthemum edulis)</i> | Ice Plant | Pale Yellow to Pinkish Purple | Summer | Gc, Sc | 1 | 6 | Wi | | | | | 20 | Africa |
| 2 | <i>Cephalophyllum aestonii 'Red Spike'</i> | Red Spike Ice Plant | Reddish-purple | Winter to Spring | Gc, Sc | 0.5 | 1.5 | Wi | | | | | 15 | S. Africa |
| 2 | <i>Datura wrightii</i> | Sacred Datura, Jimson Weed, Thorn Apple | White | Late- Spring to early Fall | Gc | 3 | 6 | Su | Yes | | | | Wg zone e | SD |
| 2 | <i>Eriogeron divergens</i> | Native Fleabane | White to Lavender | Spring to Summer | Gc, An, P | 1 | 2 | Wi | | | | Yes | -20 | SW U.S. |
| 2 | <i>Euphorbia myrsinites</i> | Euphorbia | | | Gc | 1 | 3 | Wi | | | | | 10 | S. Europe, Cnt. Asia |
| 3 | <i>Gazania rigens & varieties</i> | Gazania | Orange, Yellow, White | Winter to Spring, Fall | Gc | 0.5 | 2 | Wi | | | | | 20 | Africa |
| 3 | <i>Glandularia rigida (Verbena rigida)</i> | Sandpaper Verbena | Purple | Summer to Fall | Gc, P | 2 | 4 | Su | | | | Yes | 15 | S. Amer. |
| 3 | <i>Glandularia tenuisecta 'Edith' (Verbena tenuisecta 'Edith')</i> | Moss Verbena | Lavender, Purple | Spring | Gc, P | 1-2 | 4-5 | Su, Wi | | | | Yes | 15 | S. Amer. |
| 3 | <i>Lantana montevidensis</i> | Trailing Lantana | Lavender | Spring to Summer | Gc | 1.5 | 6 | Su | | | | | 25 | S. Amer. |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| GROUNDCOVERS plus Gc/vine, Gc/accent, Gc/perennial, Gc/succulent | | | | | | | | | | | | | | |
|--|--|---|-------------------|---------------------------|----------|-------|-----|--------|--------|----|-----|-----|-----|---------------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 2 | <i>Lotus rigidus</i> | Desert Deerweed, Deer Vetch | Yellow and Orange | Spring | Gc, P | 1.5 | 2 | Wi | | | | | 5 | SD |
| 2 | <i>Malephora crocea</i> | Croceum, Ice Plant | Copper to red | Late Fall to late Winter | Gc, Sc | 1 | 6 | Su | | | | | 20 | S. Africa |
| 3 | <i>Malephora lutea</i> | Rocky Point Ice Plant | Yellow | Nearly all year | Gc, P | 8 | 4 | Su | | | | | 15 | S. Africa |
| 2 | <i>Melampodium leucanthum</i> | Blackfoot Daisy | White | Early Spring to Fall | Gc | 2 | 2 | Su | | | Yes | Yes | 15 | SD, CD |
| 3 | <i>Mirabilis multiflora</i> | Desert Four O'clock | Hot Pink | Summer to early Fall | Gc, P, V | 3 | 4 | Su | | | | | 25 | U.S. |
| 3 | <i>Myoporum parvifolium</i> | Purple Myoporum | White | Spring to Summer | Gc | 0.5 | 9 | Su | | | | | 25 | Austr. |
| 2 | <i>Oenothera berlandieri (speciosa)</i> | Mexican Evening Primrose | Pink | Spring to Fall | Gc, P | 1 | 3 | Su, Wi | | | Yes | Yes | 25 | CD, TX, Mex. |
| 2 | <i>Oenothera caespitosa</i> | White Evening Primrose, Tufted Evening Primrose | White | Spring | Gc, P | 1 | 3 | Wi, Sp | | | | | 5 | W. U.S. |
| 2 | <i>Oenothera stubbei</i> | Chihuahuan Primrose | Yellow | Summer to Fall | Gc, P | 1 | 2 | Su, Wi | | | | | 17 | SD, NE Mex. |
| 3 | <i>Osteospermum fruticosum</i> | Trailing African Daisy | White, Purple | Winter to Spring | Gc | 1 | 4 | Wi | | c | | | 20 | Africa |
| 1 | <i>Pentzia incana</i> | Karoo Bush | Yellow | Spring to Summer | Gc | 1 | 3 | Su | | | Yes | Yes | 10 | S. Africa |
| 3 | <i>Phyla nodiflora</i> | Lippia | White | Summer | Gc | 0.125 | 0.5 | Su | | | | | 15 | Trop. America |
| 3 | <i>Ruellia brittoniana & varieties</i> | Dwarf Ruellia | Blue, White | Throughout warm season | Gc | 6 | 12 | Su | | | | | 15 | Mex. |
| 2 | <i>Ruschia uncinatus</i> | Ruschia | Pink | Summer | Gc, Sc | 1.5 | 1.5 | Su | | | | | 25 | S. Africa |
| 2 | <i>Sesuvium verrucosum</i> | Sea Purslane, Ice Plant | Pink | Early Spring to Fall | Gc | 0.5 | 3 | Su | | | | | 5 | Africa |
| 2 | <i>Teucrium chamaedrys (prostratum)</i> | Prostrate Germander | Lavender | Spring and Summer | Gc | 1 | 2 | Su | Yes | | | | -20 | Medit. |
| 2 | <i>Thymophylla pentachaeta (Dyssodia)</i> | Golden Dyssodia, Golden Fleece | Yellow | Late Spring to Fall | Gc | 0.5 | 0.5 | Su, Wi | | | | | 10 | SD, CD |
| 2 | <i>Thymophylla acerosa (Dyssodia)</i> | Scrubby Dogweed | Yellow | Late Spring to early Fall | Gc | 0.5 | 0.5 | Su | | | | | 10 | SD, CD |
| 3 | <i>Zauschneria californica & varieties</i> | Hummingbird Trumpet | Red, Orange | Summer and Fall | Gc | 2 | 2 | Su | | | | | 20 | SD |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| GROUNDCOVERS plus Gc/vine, Gc/accent, Gc/perennial, Gc/succulent | | | | | | | | | | | | | | |
|--|--------------------------------------|-------------|---|--------------|-------|---|-----|----|--------|----|-----|-----|----|-----------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 3 | <i>Zephyranthes</i> spp. & varieties | Rain Lily | varies by species- White, Rose, Pink | Summer | Gc, P | 1 | 1.5 | Su | | | | | 0 | S. Africa |

| ORNAMENTAL GRASSES | | | | | | | | | | | | | | |
|--------------------|--|-----------------------------------|---|------------------------------|----|-------|-----|----|--------|----|-----|-----|----------|--------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 3 | <i>Achnatherum hymenoides</i> (<i>Oryzopsis hymenoides</i>) | Indian Ricegrass | Green | Spring | Gr | 2 | 2 | Su | | a | | | 10 | SD, CD |
| 2 | <i>Aristida purpurea</i> | Purple Three-awn | Green, Green to Blue foliage | Spring to early Fall | Gr | 2 | 1 | Su | | | Yes | Yes | 0 | SD, CD |
| 2 | <i>Bothriochloa barbinodis</i> | Cane Beardgrass, Cane Bluestem | Green | Late-Spring to early-Fall | Gr | 3 | 3 | Su | | c | | | 0 | SD, CD |
| 2 | <i>Bouteloua</i> spp. | Grama Grass | varies by species Green, Pink, Orange, Purple | Summer to Fall | Gr | .5 -3 | 1 | Su | | a | | | -10 | SD, CD |
| 3 | <i>Buchloe dactyloides</i> | Buffalo Grass | Tan | Summer to Fall | Gr | 0.5 | 0.5 | Su | | a | | | -30 | CD |
| 2 | <i>Cathastecum erectum</i> | False Grama | Green | Summer | Gr | 0.5 | 1 | Su | | c | | | 7 | SD |
| 2 | <i>Digitaria californica</i> | Arizona Cottontop | White | Summer to early Fall | Gr | 3 | 1.5 | Su | | a | | | 15 | SD, CD |
| 3 | <i>Eragrostis intermedia</i> | Plains Lovegrass | Light Pink, White | Summer to Fall | Gr | 3 | 1 | Su | | a | | | -23 | SD, CD |
| 1 | <i>Erioneuron pulchellum</i> | Fluffgrass | White | Summer and Fall | Gr | 0.5 | 0.5 | Su | | a | | | 6- 12 | SD, CD |
| 3 | <i>Heteropogon contortus</i> | Tanglehead | Brown | Summer and Fall | Gr | 3 | 2 | Su | | c | Yes | Yes | 15 | SD |
| 2 | <i>Hilaria berlanderi</i> | Curly mesquite | Green | late Summer to Fall | Gr | 0.5 | 1 | Su | | b | | | 0 | SD, CD |
| 2 | <i>Hilaria mutica</i> | Tobosa grass | Green | Summer to Fall | Gr | 2 | 2 | Su | | b | | | 2 | SD, CD |
| 2 | <i>Hilaria rigida</i> | Big galleta grass | Green | Spring through Fall | Gr | 3 | 1 | Su | | b | | | 10 | SD, CD |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| ORNAMENTAL GRASSES | | | | | | | | | | | | | | |
|--------------------|--------------------------------------|------------------------|---|----------------------|----|-----|-----|----|--------|----|-----|-----|-------|--------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 3 | <i>Leptochloa dubia</i> | Green Sprangle-Top | Green | Summer | Gr | 3 | 1 | Su | | a | | | 5 | CD,SD |
| 3 | <i>Muhlenbergia capillaris</i> | Regal Mist | Pink | Fall | Gr | 3 | 3 | Su | | | | | -20 | U.S. |
| 3 | <i>Muhlenbergia dumosa</i> | Bamboo Muhly | Green dries to tan | Spring to Summer | Gr | 6 | 6 | Su | | a | | | 20 | SD |
| 2 | <i>Muhlenbergia emersleyi</i> | Bullgrass | Purple dries to tan | Fall | Gr | 4 | 4 | Su | | a | | | 0 | SD |
| 3 | <i>Muhlenbergia lindheimeri</i> | Autumn Glow | Yellow dries to tan | Fall | Gr | 5 | 5 | Su | | a | | | -10 | TX |
| 1 | <i>Muhlenbergia porteri</i> | Bush muhly | Pink | Late Summer to Fall | Gr | 2 | 3 | Su | | a | | | -25 | SD, CD |
| 2 | <i>Muhlenbergia rigens</i> | Deer grass | Tan | Summer to Fall | Gr | 4 | 4 | Su | | a | | | 10 | SD |
| 3 | <i>Muhlenbergia rigida</i> | Purple Muhlenbergia | Purple dries to tan | Late Summer to Fall | Gr | 5 | 3 | Su | | a | | | 0 | SD |
| 2 | <i>Nassella tenuissima</i> | Mexican Feather Grass | Tan | Fall | Gr | 3 | 1 | Su | | b | | | 0 | CD |
| 2 | <i>Pappophorum mucronulatum</i> | Pappus Grass | White | Spring to early Fall | Gr | 3 | 2 | Su | | a | | | 12-18 | SD |
| 2 | <i>Pennisetum setaceum 'Cupreum'</i> | Purple Fountain Grass | Pink, Purple | Summer | Gr | 4 | 5 | Su | | b | | | 15 | Africa |
| 1 | <i>Sporobolus airoides</i> | Alkali Sacaton | White | Summer | Gr | 5 | 3 | Su | | a | | | 0 | SD, CD |
| 1 | <i>Sporobolus contractus</i> | Spike Dropseed | White | Summer to Fall | Gr | 3 | 1 | Su | | a | | | 6-12 | SD, CD |
| 3 | <i>Sporobolus cryptandrus</i> | Sand Dropseed | White | | Gr | 2 | 1 | Su | | a | | | 6-12 | SD, CD |
| 2 | <i>Sporobolus flexuosus</i> | Mesa Dropseed | White | Summer to early Fall | Gr | 3 | 1 | Su | | a | | | 6-12 | SD, CD |
| 3 | <i>Sporobolus wrightii</i> | Big Sacaton | Green | Late Summer to Fall | Gr | 5 | 4 | Su | | a | | | -30 | SD, CD |
| 2 | <i>Trichloris crinita</i> | Two-feather Trichloris | White dries to Tan - reddish highlights | Late Spring to Fall | Gr | 3 | 1 | Su | | a | | | 12-18 | SD, CD |
| 2 | <i>Tridens muticus</i> | Slim Tridens | White | Spring to Fall | Gr | 1.5 | 0.5 | Su | | b | | | 25 | SD, CD |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| ANNUALS | | | | | | | | | | | | | | |
|---------|------------------------------------|---|---|---------------------------|----|-------|-----|----|--------|----|-----|-----|-----|--------------------|
| WU | BOTANICAL NAME | COMMON NAME | FLOWER COLOR | BLOOM SEASON | PT | H | W | GS | TOX-IC | AL | INV | SCA | °F | ORIGIN |
| 1 | <i>Aster bigelovii</i> | Purple Aster | Blue | Late-Summer to early Fall | An | 1-3 | 0.5 | Su | | | | | 0 | SD |
| 1 | <i>Aster tanacetifolius</i> | Purple Aster | Purple | Summer to Fall | An | 1.5 | 0.5 | Su | | | | | 0 | SD, CD |
| 3 | <i>Dimorphotheca sinuata</i> | African Daisy, Cape Marigold | Orange, White, Yellow | Winter to Spring | An | 0.5 | 0.5 | Wi | | | | | -40 | S. Africa |
| 3 | <i>Eschscholtzia californica</i> | California Poppy | Orange, Pale -yellow, occ. White | Late-Spring | An | 2 | 2 | Wi | | | | | 20 | SD |
| 3 | <i>Eschscholtzia mexicana</i> | Mexican Gold Poppy | Orange, pale-yellow, occ. White | Early-Spring | An | 1 | 1 | Wi | | | | | 30 | SD |
| 3 | <i>Gaillardia pulchella</i> | Fire Wheel, Blanket Flower | Maroon center with Yellow outside edges | Late Spring to early Fall | An | 1.5 | 1.5 | Wi | | | | | 15 | CD |
| 3 | <i>Linum grandiflorum 'Rubrum'</i> | Scarlet Flax | Scarlet | Spring | An | 2 | 1 | Wi | | | | | | N. Africa |
| 3 | <i>Linum lewisii</i> | Blue Flax | Bright Blue | Spring | An | 2 | 1 | Wi | | | | | -30 | SD, CD |
| 1 | <i>Lupinus arizonicus</i> | Lupine | Purple | Winter to Spring | An | 1 | 1 | Wi | | | | | 28 | SD |
| 1 | <i>Lupinus sparsiflorus</i> | Desert Lupine | Purple | Late Winter to Spring | An | 1 | 1 | Wi | | | | | 28 | SD |
| 1 | <i>Lupinus succulentus</i> | Arroyo Lupine | Deep Blue | Spring | An | 2 | 1 | Wi | | | | | 25 | SD |
| 2 | <i>Phacelia campanularia</i> | Desert Bluebells, Desert Canterbury Bells | Blue | Early Spring | An | 1 | 1 | Wi | | | | | 10 | SD |
| 2 | <i>Phacelia tanacetifolia</i> | Tansy Phacelia | Blue, Purple | Early Spring | An | 1 | 1 | Wi | | | | | 10 | N. Calif., N. Baja |
| 1 | <i>Plantago spp.</i> | Indian Wheat | Cream, White | Spring | An | .25-2 | 0.5 | Wi | | | | | | SD, CD |
| 2 | <i>Verbesina encelioides</i> | Crown Beard | Yellow | Spring | An | 3 | 3 | Wi | | | | Yes | | SD, CD |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

Alphabetical Order by Botanical Name

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|--|-----------------------------------|------------|
| <i>Abutilon palmeri</i> | Indian Mallow | S |
| <i>Acacia aneura</i> | Mulga | T |
| <i>Acacia angustissima</i> | White Ball Acacia | S |
| <i>Acacia berlandieri</i> | Guajillo | T, S |
| <i>Acacia constricta</i> | Whitethorn, Mescat Acacia | T, S |
| <i>Acacia crasspedocarpa</i> | Waxleaf Acacia | T, S |
| <i>Acacia cultriformis</i> | Knife-Leaf Acacia | T, S |
| <i>Acacia farnesiana (smalli)</i> | Southwestern Sweet Acacia | T, S |
| <i>Acacia greggii</i> | Catclaw Acacia | T, S |
| <i>Acacia notabilis</i> | Notable Acacia | S |
| <i>Acacia redolens</i> | Prostrate Acacia | S, Gc |
| <i>Acacia rigidula</i> | Black Brush Acacia | T, S |
| <i>Acacia salicina</i> | Willow Acacia | T |
| <i>Acacia saligna</i> | Weeping Wattle | T |
| <i>Acacia schaffneri</i> | Twisted Acacia | T |
| <i>Acacia stenophylla</i> | Pencilleaf Acacia | T |
| <i>Acacia willardiana</i> | Palo Blanco | T |
| <i>Achnatherum hymenoides (Oryzopsis hymenoides)</i> | Indian Ricegrass | Gr |
| <i>Agave americana & varieties</i> | Century Plant | A, Sc |
| <i>Agave angustifolia v. marginata</i> | Narrow leaf Agave | A, Sc |
| <i>Agave bovicornuta</i> | Cow's Horn Agave | A, Sc |
| <i>Agave bracteosa</i> | Spider Agave | A, Sc |
| <i>Agave celsii</i> | Agave | A, Sc |
| <i>Agave chrysantha</i> | Golden Flower Agave | A, Sc |
| <i>Agave colorata</i> | Mescal Ceniza, Blue Century Plant | A, Sc |
| <i>Agave desmettiana & varieties</i> | Smooth Agave | A, Sc |
| <i>Agave filifera</i> | Agave | A, Sc |
| <i>Agave geminiflora-solitary</i> | Twin-flowered Agave | A, Sc |
| <i>Agave havardiana</i> | Havard Agave | A, Sc |
| <i>Agave lophantha (univittata)</i> | Holly Agave; Center Stripe Agave | A, Sc |
| <i>Agave macroacantha</i> | Black Spine Agave | A, Sc |
| <i>Agave montana</i> | Mountain Agave | A, Sc |
| <i>Agave multifilifera</i> | Chahuiqui | A, Sc |
| <i>Agave murpheyi</i> | Murphy Agave | A, Sc |
| <i>Agave ocahui</i> | Ocahui Agave | A, Sc |
| <i>Agave ovatifolia</i> | Whales Tongue Agave | A, Sc |
| <i>Agave palmeri</i> | Palmer Agave | A, Sc |
| <i>Agave parrasana</i> | Parras Agave | A, Sc |
| <i>Agave parryi & varieties</i> | Agave | A, Sc |
| <i>Agave parryi var. huachucensis</i> | Huachuca Agave | A, Sc |
| <i>Agave parviflora</i> | Small Flowered Agave | A, Sc |
| <i>Agave pelona</i> | Mescal Pelon | A, Sc |
| <i>Agave potatorum</i> | Butterfly Agave | A, Sc |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|--|----------------------------------|------------|
| <i>Agave salmiana</i> ssp. <i>Ferox</i> | Pulque Agave, Salm's Agave | A, Sc |
| <i>Agave scabra</i> | Rough-leaved Agave | A, Sc |
| <i>Agave schidigera</i> | Agave | A, Sc |
| <i>Agave shawii</i> | Agave | A, Sc |
| <i>Agave striata</i> | Needle-leaf Agave, Espidine | A, Sc |
| <i>Agave utahensis</i> | Utah Agave | A, Sc |
| <i>Agave victoriae-reginae</i> & varieties | Queen Victoria Agave | A, Sc |
| <i>Agave vilmoriniana</i> | Octopus Agave | A, Sc |
| <i>Agave weberi</i> | Weber Agave | A, Sc |
| <i>Aloe barbadensis</i> | Aloe Vera, Medicinal Aloe | Sc |
| <i>Aloe ferox</i> | Cape Aloe | Sc |
| <i>Aloe saponaria</i> | Tiger Aloe, Mediterranean Aloe | Sc |
| <i>Aloe variegata</i> | Partridge Breast Aloe | Sc |
| <i>Aloe</i> x ' <i>Blue Elf</i> ' | Blue Elf Aloe | A, Sc |
| <i>Aloysia gratissima</i> | Fragrant Bush, Bee Bush | S |
| <i>Aloysia wrightii</i> | Wright's Bee Bush | S |
| <i>Ambrosia deltoidea</i> (<i>Franseria</i>) | Triangle-leaf Bursage | S |
| <i>Ambrosia dumosa</i> (<i>Franseria</i>) | White Bursage | S |
| <i>Amsonia grandiflora</i> | Large-flowered Blue Star | S, P |
| <i>Anisacanthus quadrifidus</i> & varieties | Flame Anisacanthus | S |
| <i>Anisacanthus thurberi</i> | Desert Honeysuckle | S |
| <i>Antigonon leptopus</i> | Queen's Wreath | V |
| <i>Aristida purpurea</i> | Purple Three-awn | Gr |
| <i>Artemisia ludoviciana</i> | Prairie Sagebrush, Wormwood | S, Gc |
| <i>Asclepias linaria</i> | Pine Leaf Milkweed | S |
| <i>Asclepias subulata</i> | Desert Milkweed | P |
| <i>Aster bigelovii</i> | Purple Aster | An |
| <i>Aster tanacetifolius</i> | Purple Aster | An |
| <i>Atriplex canescens</i> | Four-Wing Saltbush | S |
| <i>Atriplex lentiformis</i> | Quail Bush | S |
| <i>Atriplex lentiformis breweri</i> | Brewer Saltbush | S |
| <i>Atriplex nummularia</i> | Old Man Saltbush | S |
| <i>Atriplex polycarpa</i> | Desert Saltbush | S |
| <i>Atriplex semibaccata</i> | Australian Saltbush | S |
| <i>Baccharis hybrid 'Starn'</i> | Thompson Broom | Gc |
| <i>Baccharis sarothroides</i> and hybrids (males only) | Desert Broom | S |
| <i>Bahia absinthifolia</i> | Desert Daisy | P |
| <i>Baileya multiradiata</i> | Desert Marigold | P |
| <i>Bauhinia lunaroides</i> | Pink or White Orchid Tree | S |
| <i>Bebbia juncea</i> | Sweet Bush, Chuckwalla's Delight | S, P |
| <i>Berberis harrisoniana</i> | Barberry | S |
| <i>Berberis trifoliata</i> | Algerita | S |
| <i>Berlandiera lyrata</i> | Chocolate Flower | P |
| <i>Bothriochloa barbinodis</i> | Cane Beardgrass, Cane Bluestem | Gr |
| <i>Bougainvillea</i> spp. | Bougainvillea | S, V |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|---|-------------------------------------|------------|
| <i>Bouteloua spp.</i> | Gramma Grass | Gr |
| <i>Brachychiton populneus</i> | Bottle Tree | T |
| <i>Brahea (Erythea) armata</i> | Mexican Blue Palm | T |
| <i>Buchloe dactyloides</i> | Buffalo Grass | Gr |
| <i>Buddleia marrubifolia</i> | Woolly Butterfly Bush | S |
| <i>Bulbine frutescens</i> and cultivars | Shrubby Bulbine | Sc |
| <i>Caesalpinia cacalaco</i> | Cascalote | S |
| <i>Caesalpinia gilliesii (Poinciana)</i> | Yellow Bird of Paradise | S |
| <i>Caesalpinia mexicana (Poinciana)</i> | Mexican Bird of Paradise (yellow) | S |
| <i>Caesalpinia pulcherrima</i> | Red Bird of Paradise | S |
| <i>Callaeum macropterum (Mascagnia macroptera)</i> | Yellow Orchid Vine | V |
| <i>Calliandra californica</i> | Baja Fairy Duster | S |
| <i>Calliandra eriophylla</i> | Fairy Duster, False Mesquite | S |
| <i>Calliandra peninsularis</i> | Red Calliandra, Baja Fairy Duster | S |
| <i>Callistemon citrinus</i> | Lemon Bottlebrush | T, S |
| <i>Calylophus hartwegii & varieties</i> | Calylophus, Yellow Evening Primrose | Gc |
| <i>Campsis radicans</i> | Common Trumpet Creeper | V |
| <i>Carnegiea gigantea</i> | Saguaro | C |
| <i>Carpobrotus edulis (Mesembryanthemum edulis)</i> | Ice Plant | Gc, Sc |
| <i>Cassia artemisioides (Senna)</i> | Wormwood Senna, Feathery Cassia | S |
| <i>Cassia nemophila (C. eremophila)</i> | Green Cassia | S |
| <i>Cassia phyllodinea</i> | Silvery Cassia | S |
| <i>Casuarina cunninghamiana</i> | Australian Pine | T |
| <i>Casuarina stricta</i> | Coast Beefwood | T |
| <i>Cathastecum erectum</i> | False Grama | Gr |
| <i>Celtis pallida</i> | Spiny or Desert Hackberry | S |
| <i>Celtis reticulata</i> | Netleaf or Western Hackberry | T |
| <i>Centaurea cineraria</i> | Dusty Miller | P |
| <i>Cephalophyllum aestonii 'Red Spike'</i> | Red Spike Ice Plant | Gc, Sc |
| <i>Ceratonia siliqua</i> | Carob, St. John's Bread Tree | T |
| <i>Cercis canadensis v. Mexicana</i> | Mexican Redbud | T, S |
| <i>Cereus hildmannianus (C. peruvianus)</i> | Peruvian Cereus, Hedge Cactus | C |
| <i>Chamaerops humilis</i> | Mediterranean Fan Palm | T |
| <i>Chilopsis linearis</i> and cultivars | Desert Willow | T, S |
| <i>Chrysactinia Mexicana</i> | Damianita Daisy | S |
| <i>Cissus trifoliata v. incise</i> | Desert Grape Ivy | V |
| <i>Condalia globosa</i> | Bitter Condalia | T, S |
| <i>Condalia warnockii v. kearneyana</i> | Condalia, Mexican Pincushion | S |
| <i>Convolvulus cneorum</i> | Bush Morning Glory | S, Gc |
| <i>Convolvulus mauritanicus</i> | Ground Morning Glory | Gc |
| <i>Cordia boissieri</i> | Anacahuita, Texas Olive | T, S |
| <i>Cordia parvifolia</i> | Littleleaf Cordia | S |
| <i>Cupressus arizonica & varieties</i> | Rough-barked Arizona Cypress | T |
| <i>Cupressus glabra</i> | Smooth Bark Cypress | T |
| <i>Cylindropuntia bigelovii (Opuntia)</i> | Teddy Bear Cholla | C |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|---|---|------------|
| <i>Cylindropuntia versicolor</i> (<i>Opuntia</i>) | Staghorn Cholla | C |
| <i>Dalbergia sissoo</i> | Rosewood | T |
| <i>Dalea bicolor</i> & varieties | Dalea Bicolor | S |
| <i>Dalea capitata</i> | Yellow Dalea | Gc |
| <i>Dalea frutescens</i> | Black Dalea | S |
| <i>Dalea greggii</i> | Trailing Indigo Bush | Gc |
| <i>Dalea pulchra</i> | Indigo Bush | S |
| <i>Dalea versicolor</i> v. <i>sessilis</i> | Indigo Bush, Dalea | S |
| <i>Dasyllirion acrotriche</i> | Green Desert Spoon | A |
| <i>Dasyllirion leiophyllum</i> | Green Desert Spoon | A |
| <i>Dasyllirion quadrangulatum</i> (<i>D.longissimum</i>) | Toothless Desert Spoon | A |
| <i>Dasyllirion texanum</i> | Green Desert Spoon | A |
| <i>Dasyllirion wheeleri</i> | Sotol, Desert Spoon | A |
| <i>Datura wrightii</i> | Sacred Datura, Jimson Weed, Thorn Apple | Gc |
| <i>Dicliptera resupinata</i> | Native Dicliptera | P |
| <i>Digitaria californica</i> | Arizona Cottontop | Gr |
| <i>Dimorphotheca sinuate</i> | African Daisy, Cape Marigold | An |
| <i>Dodonaea viscosa</i> & varieties | Hopbush | S |
| <i>Ebenopsis ebano</i> (<i>Pithecellobium flexicaule</i>) | Texas Ebony | T |
| <i>Echinocactus grusonii</i> | Golden Barrel | C |
| <i>Echinocereus</i> spp. | Hedgehog, Rainbow Cactus | C |
| <i>Echinopsis</i> spp. & varieties | Easter Lily, Sea Urchin Cactus | C |
| <i>Encelia californica</i> | California Brittlebush (green) | S |
| <i>Encelia farinose</i> | Brittlebush | S |
| <i>Ephedra nevadensis</i> | Ephedra, Morman Tea | S |
| <i>Eragrostis intermedia</i> | Plains Lovegrass | Gr |
| <i>Eremophila decipiens</i> | Emu Bush | S |
| <i>Eremophila hybrid</i> | Summertime Blue | S |
| <i>Eremophila laanii</i> 'pink beauty' | Emu Bush | S |
| <i>Eremophila maculata</i> 'valentine' | Valentine Emu Bush | S |
| <i>Ericameria laricifolia</i> & cultivars (<i>Haplopappus laricifolius</i>) | Turpentine Bush | S |
| <i>Eriogeron divergens</i> | Native Fleabane | Gc, An, P |
| <i>Eriogonum fasciculatum</i> v. <i>poliofolium</i> | Flattop Buckwheat | S |
| <i>Eriogonum wrightii</i> | Wright Buckwheat | S |
| <i>Erioneuron pulchellum</i> | Fluffgrass | Gr |
| <i>Eschscholtzia californica</i> | California Poppy | An |
| <i>Eschscholtzia Mexicana</i> | Mexican Gold Poppy | An |
| <i>Eucalyptus camaldulensis</i> | Red River Gum | T |
| <i>Eucalyptus campaspe</i> | Silver Gimlet | T |
| <i>Eucalyptus formanii</i> | Eucalyptus | T |
| <i>Eucalyptus leucoxydon</i> (<i>rosea</i>) | White Iron Bark | T |
| <i>Eucalyptus microtheca</i> | Tiny Capsule Eucalyptus, Coolibah | T |
| <i>Eucalyptus papuana</i> | Ghost Gum | T |
| <i>Eucalyptus polyanthemus</i> | Silver Dollar Gum | T |
| <i>Eucalyptus rudis</i> | Desert Gum | T |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|--|-------------------------------------|------------|
| <i>Eucalyptus sargentii</i> | Salt River Mallet | T |
| <i>Eucalyptus spathulata</i> | Swamp Mallee | T |
| <i>Euphorbia antisyphilitica</i> | Wax Plant, Candelilla | S |
| <i>Euphorbia myrsinites</i> | Euphorbia | Gc |
| <i>Euphorbia rigida (biglandulosa)</i> | Gopher Plant | A, Sc |
| <i>Eysenhardtia orthocarpa</i> | Kidneywood | T |
| <i>Eysenhardtia texana</i> | Texas Kidneywood | T |
| <i>Feijoa sellowiana</i> | Pineapple Guava | T, S |
| <i>Ferocactus spp.</i> | Barrel Cactus | C |
| <i>Fouquieria columnaris</i> | Boojum | T, A |
| <i>Fouquieria macdougalii</i> | Mexican Tree Ocotillo | S, A |
| <i>Fouquieria splendens</i> | Ocotillo | A |
| <i>Fraxinus greggii</i> | Littleleaf Ash | T, S |
| <i>Gaillardia aestivalis spp. Winkleri</i> | Winkler Gaillardia | P |
| <i>Gaillardia pinnatifida</i> | Blanket Flower | P |
| <i>Gaillardia pulchella</i> | Fire Wheel, Blanket Flower | An |
| <i>Gazania rigens & varieties</i> | Gazania | Gc |
| <i>Geijera parviflora</i> | Australian Willow | T |
| <i>Geoffroea (Gourleia) decorticans</i> | Chilean Palo Verde | T |
| <i>Glandularia gooddingii (Verbena)</i> | Goodding Verbena | P |
| <i>Glandularia peruviana (Verbena peruviana)</i> | Peruvian Verbena | P |
| <i>Glandularia pulchella (V. tenuisecta) (V. tenera)</i> | Moss Verbena, Rock Verbena | P |
| <i>Glandularia rigida(Verbena rigida)</i> | Sandpaper Verbena | Gc, P |
| <i>Glandularia tenuisecta 'Edith' (Verbena tenuisecta 'Edith')</i> | Moss Verbena | Gc P |
| <i>Gossypium harknessii</i> | Gossypium, Wild Cotton | S |
| <i>Guaiacum coulteri</i> | Guayacan | T, S |
| <i>Gutierrezia sarothrae</i> | Snakeweed | S, P |
| <i>Hamelia patens</i> | Texas Firecracker Bush | S |
| <i>Havardia mexicana (Pithecellobium mexicanum)</i> | Mexican Ebony | T |
| <i>Havardia pallens (Pithecellobium pallens)</i> | Tenaza | T |
| <i>Hesperaloe campanulata</i> | Bell Flowering Hesperaloe | A |
| <i>Hesperaloe funifera</i> | Giant Hesperaloe | A |
| <i>Hesperaloe nocturna</i> | Night Flowering Hesperaloe | A |
| <i>Hesperaloe parviflora & varieties</i> | Red Yucca, Yellow Yucca | A |
| <i>Heteropogon contortus</i> | Tanglehead | Gr |
| <i>Hibiscus coulteri</i> | Yellow Hibiscus, Coulter's Hibiscus | S |
| <i>Hilaria berlangeri</i> | Curly mesquite | Gr |
| <i>Hilaria mutica</i> | Tobosa grass | Gr |
| <i>Hilaria rigida</i> | Big galleta grass | Gr |
| <i>Hyptis albida (emoryii)</i> | Desert Lavender | S |
| <i>Jatropha cardiophylla</i> | Limberbush | S |
| <i>Jatropha dioica</i> | Jatropha | S |
| <i>Juniperus chinensis and cultivars</i> | Juniper | T |
| <i>Juniperus deppeana</i> | Alligator Bark Juniper | T |
| <i>Juniperus Sabina</i> | Sabine Juniper | S |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|---|-----------------------------|------------|
| <i>Justicia californica</i> and cultivars (<i>Beloperone</i>) | Chuparosa | S |
| <i>Justicia candicans</i> | Red Jacobinia | S |
| <i>Justicia fulvicoma</i> | Mexican Plume | S |
| <i>Justicia spicigera</i> | Firecracker Bush | S |
| <i>Lantana camara</i> and cultivars | Bush Lantana | S |
| <i>Lantana montevidensis</i> | Trailing Lantana | Gc |
| <i>Larrea tridentata</i> (<i>divaricata</i>) | Creosote Bush, Greasewood | S |
| <i>Leptochloa dubia</i> | Green Sprangle-Top | Gr |
| <i>Leucaena retusa</i> | Golden Leadball | T |
| <i>Leucophyllum</i> spp. & varieties | Texas Ranger | S |
| <i>Linum grandiflorum</i> 'Rubrum' | Scarlet Flax | An |
| <i>Linum lewisii</i> | Blue Flax | An |
| <i>Lophocereus schottii</i> | Senita | A, C |
| <i>Lophocereus schottii</i> , ssp. <i>Monstrosus</i> | Totem Pole Cactus | A, C |
| <i>Lotus rigidus</i> | Desert Deerweed, Deer Vetch | Gc, P |
| <i>Lupinus arizonicus</i> | Lupine | An |
| <i>Lupinus sparsiflorus</i> | Desert Lupine | An |
| <i>Lupinus succulentus</i> | Arroyo Lupine | An |
| <i>Lycium andersonii</i> | Desert Wolfberry | S |
| <i>Lycium exsertum</i> | Thornbush | S |
| <i>Lycium fremontii</i> | Wolfberry, Tomatillo | S |
| <i>Lycium pallidum</i> | Desert Thorn | S |
| <i>Lysiloma watsonii</i> var. <i>thorneri</i> | Feather Tree | T,S |
| <i>Macfadyena unguis-cati</i> | Cat's Claw Vine | V |
| <i>Maireana sedifolia</i> | Pearl Bluebush | S |
| <i>Malephora crocea</i> | Croceum, Ice Plant | Gc, Sc |
| <i>Malephora lutea</i> | Rocky Point Ice Plant | Gc, P |
| <i>Mamillaria</i> spp. | Pincushion, Fishhook Cactus | C |
| <i>Mascagnia lilacina</i> | Purple Orchid Vine | V |
| <i>Maytenus phyllanthoides</i> | Mangle Dulce | S |
| <i>Melampodium leucanthum</i> | Blackfoot Daisy | Gc |
| <i>Merremia aurea</i> | Yellow Morning Glory Vine | V |
| <i>Mimosa dysocarpa</i> | Velvetpod | S |
| <i>Mirabilis multiflora</i> | Desert Four O'clock | Gc, P, V |
| <i>Muhlenbergia capillaris</i> | Regal Mist | Gr |
| <i>Muhlenbergia dumosa</i> | Bamboo Muhly | Gr |
| <i>Muhlenbergia emersleyi</i> | Bullgrass | Gr |
| <i>Muhlenbergia lindheimeri</i> | Autumn Glow | Gr |
| <i>Muhlenbergia porter</i> | Bush muhly | Gr |
| <i>Muhlenbergia rigens</i> | Deer grass | Gr |
| <i>Muhlenbergia rigida</i> | Purple Muhlenbergia | Gr |
| <i>Myoporum parvifolium</i> | Purple Myoporum | Gc |
| <i>Myrtus communis</i> & varieties | True Myrtle, Roman Myrtle | S |
| <i>Nandina domestica</i> & varieties | Heavenly Bamboo | S |
| <i>Nassella tenuissima</i> | Mexican Feather Grass | Gr |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|---|--|------------|
| <i>Nerium oleander</i> & varieties | Oleander | S |
| <i>Nolina beltingii</i> | Belding's Nolina | A |
| <i>Nolina bigelovii</i> | Beargrass | A |
| <i>Nolina lindheimeriana</i> | Lindheimer's Nolina | A |
| <i>Nolina matapensis</i> | Tree Beargrass | A |
| <i>Nolina microcarpa</i> | Beargrass | A |
| <i>Nolina nelson</i> | Blue Nolina | A |
| <i>Nolina parryi</i> | Parry's Beargrass | A |
| <i>Nolina texana</i> | Bear Grass | A |
| <i>Oenothera berlandieri (speciosa)</i> | Mexican Evening Primrose | Gc, P |
| <i>Oenothera caespitosa</i> | White or Tufted Evening Primrose | Gc, P |
| <i>Oenothera stubbei</i> | Chihuahuan Primrose | Gc, P |
| <i>Olea europaea 'Swan Hill', 'Wilsoni'</i> | Fruitless non-pollinating Olive | T |
| <i>Olneya tesota</i> | Desert Ironwood, Tesota | T |
| <i>Opuntia basilaris</i> | Beavertail Prickly Pear | C |
| <i>Opuntia engelmannii</i> | Engelmann's Prickly Pear | C |
| <i>Opuntia ficus-indica</i> | Indian Fig | C |
| <i>Opuntia macrocentra violacea</i> | Black Spine Prickly Pear | C |
| <i>Opuntia microdasys</i> | Bunny Ears Prickly Pear | C |
| <i>Opuntia santa rita 'Tubac'</i> | Purple Pancake | C |
| <i>Opuntia turpinii</i> | Pinecone Prickly Pear | C |
| <i>Opuntia violacea 'Santa Rita'</i> | Santa Rita Prickly Pear | C |
| <i>Osteospermum fruticosum</i> | Trailing African Daisy | Gc |
| <i>Pappophorum mucronulatum</i> | Pappus Grass | Gr |
| <i>Parkinsonia praecox (Cercidium)</i> | Palo Brea | T |
| <i>Parkinsonia florida (Cercidium floridum)</i> | Blue Palo Verde | T |
| <i>Parkinsonia hybrid 'Desert Museum'</i> | Desert Museum Palo Verde | T |
| <i>Parkinsonia microphylla (Cercidium microphyllum)</i> | Littleleaf or Foothill Palo Verde | T |
| <i>Parkinsonia x sonorae (Cercidium)</i> | Sonoran Palo Verde | T |
| <i>Passiflora foetida</i> | Passion Flower | V |
| <i>Pedilanthus macrocarpus</i> | Slipper Flower, Lady's Slipper, Candelilla | A, Sc |
| <i>Peniocereus greggii</i> | AZ Queen of the Night | C |
| <i>Pennisetum setaceum 'Cupreum'</i> | Purple Fountain Grass | Gr |
| <i>Penstemon ambiguous</i> | Pink Plains Penstemon | P |
| <i>Penstemon amphorellae</i> | Mexican Blue Penstemon | P |
| <i>Penstemon baccharifolius</i> | Cutleaf Penstemon | P |
| <i>Penstemon barbatus</i> | Beardtongue Penstemon | P |
| <i>Penstemon cardinalis</i> | Cardinal Penstemon | P |
| <i>Penstemon cobaea</i> | Foxglove Penstemon | P |
| <i>Penstemon eatoni</i> | Firecracker Penstemon | P |
| <i>Penstemon fendleri</i> | Fendler Penstemon | P |
| <i>Penstemon grandiflorus</i> | Large Fendler Penstemon | P |
| <i>Penstemon palmeri</i> | Palmer Penstemon | P |
| <i>Penstemon parryi</i> | Parry Penstemon | P |
| <i>Penstemon pinifolius</i> | Pineleaf Penstemon | P |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|---|---|------------|
| <i>Penstemon pseudospectabilis</i> | Canyon Penstemon, Mohave Beardtongue | P |
| <i>Penstemon spectabilis</i> | Mojave Penstemon, Royal Penstemon | P |
| <i>Penstemon strictus</i> | Rocky Mountain Penstemon | P |
| <i>Penstemon subulatus</i> | Little Beardtongue | P |
| <i>Penstemon superbus</i> | Superb Penstemon, Santa Rita Penstemon | P |
| <i>Penstemon triflorus</i> | Hill Country Penstemon | P |
| <i>Penstemon wrightii</i> | Texas Rose, Wright's Penstemon | P |
| <i>Pentzia incana</i> | Karoo Bush | Gc |
| <i>Phacelia campanularia</i> | Desert Bluebells, Desert Canterbury Bells | An |
| <i>Phacelia tanacetifolia</i> | Tansy Phacelia | An |
| <i>Phoenix canariensis</i> | Canary Island Date Palm | T |
| <i>Phoenix dactylifera</i> | Date Palm | T |
| <i>Phyla nodiflora</i> | Lippia | Gc |
| <i>Pinus edulis</i> | Piñon Nut Pine | T |
| <i>Pinus eldarica</i> | Afghan Pine | T |
| <i>Pinus halepensis</i> | Aleppo Pine | T |
| <i>Pinus monophylla</i> | Singleleaf Piñon Pine | T |
| <i>Pinus pinea</i> | Italian Stone Pine | T |
| <i>Pinus roxburghii</i> | Chir Pine | T |
| <i>Pistacia atlantica</i> | Mt. Atlas Pistache | T |
| <i>Pistacia atlantica x integerrima</i> | Pistache hybrid tereb. x integerrima | T |
| <i>Pistacia chinensis</i> | Chinese Pistache | T |
| <i>Pistacia vera</i> | Pistachio | T |
| <i>Pittosporum phillyraeoides</i> | Willow Pittosporum | T |
| <i>Pittosporum tobira</i> & cultivars | Mock Orange | S |
| <i>Plantago</i> spp. | Indian Wheat | An |
| <i>Poliomintha maderensis</i> | Lavendar Spice | S |
| <i>Portulacaria afra</i> | Elephant Food | Sc |
| <i>Prosopis hybrid</i> | South American Mesquite | T |
| <i>Prosopis glandulosa</i> & varieties | Texas Honey Mesquite | T |
| <i>Prosopis pubescens</i> | Screwbean Mesquite | T |
| <i>Prosopis velutina</i> (juliflora) | Velvet Mesquite | T |
| <i>Psilostrophe cooperi</i> | Paper Flower | P |
| <i>Psilostrophe tagetina</i> | Paper Flower | P |
| <i>Punica granatum</i> & varieties | Pomegranate | T, S |
| <i>Pyracantha</i> & varieties | Pyracantha (red berried types) | S |
| <i>Quercus arizonica</i> | Arizona White Oak | T |
| <i>Quercus buckleyi</i> (Q texana) | Texas Red Oak | T |
| <i>Quercus emoryi</i> | Emory Oak | T |
| <i>Quercus fusiformis</i> | Escarpment Live Oak | T |
| <i>Quercus gambelii</i> | Gambel Oak | T, S |
| <i>Quercus ilex</i> | Holly Oak | T |
| <i>Quercus muhlenbergia</i> | Chinquapin Oak | T |
| <i>Quercus polymorpha</i> | Monterey Oak | T |
| <i>Quercus suber</i> | Cork Oak | T |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|---|----------------------------------|------------|
| <i>Quercus turbinella</i> | Shrub Live Oak | S |
| <i>Quercus virginiana</i> | Live Oak | T |
| <i>Rhus microphylla</i> | Littleleaf Sumac | S |
| <i>Rhus ovate</i> | Sugar Bush, Sugar Sumac | S |
| <i>Rhus trilobata</i> & varieties | Three Leaf Sumac, Skunk, Bush | S |
| <i>Rhus virens</i> | Evergreen Sumac | S |
| <i>Rosa banksiae</i> | Lady Banks Rose, Tombstone Rose | S, Gc, V |
| <i>Rosmarinus officinalis</i> & varieties | Rosemary | S |
| <i>Ruellia brittoniana</i> & varieties | Dwarf Ruellia | Gc |
| <i>Ruellia californica</i> | Sonoran Desert Ruellia | S |
| <i>Ruellia peninsularis</i> | Baja Ruellia | S |
| <i>Ruschia uncinatus</i> | Ruschia | Gc, Sc |
| <i>Salvia chamaedryoides</i> | Blue Chihuahuan Sage | S |
| <i>Salvia clevelandii</i> | Cleveland Sage | S |
| <i>Salvia columbariae</i> | Chia | An |
| <i>Salvia dorrii</i> v. <i>dorrii</i> | Mojave Sage | S |
| <i>Salvia farinacea</i> | Mealy Cup Sage, Texas Violet | S |
| <i>Salvia greggii</i> | Red Chihuahuan Sage, Autumn Sage | S |
| <i>Salvia hybrid</i> (<i>S.dorrii</i> x <i>S.clevelandii</i> x <i>S.mojavensis</i>) | Trident, Carl Nielson Sage | S |
| <i>Salvia leucantha</i> | Purple Mexican Bush Sage | S |
| <i>Salvia mohavensis</i> | Mohave Sage | S |
| <i>Sambucus nigra</i> spp. <i>Cerulea</i> (<i>S.mexicana</i>) | Mexican Elderberry | T |
| <i>Santolina chamaecyparissus</i> | Lavender Cotton | S, Gc |
| <i>Santolina virens</i> | Green Santolina | S, Gc |
| <i>Sapindus saponaria</i> <i>saponaria</i> | Soapberry | T |
| <i>Sapindus saponaria drummondii</i> | Soapberry | T |
| <i>Schinus molle</i> | California Pepper Tree | T |
| <i>Senecio cineraria</i> | Dusty Miller, Silver Plant | P |
| <i>Senna covesii</i> (<i>Cassia</i>) | Desert Senna | P |
| <i>Senna lindheimeriana</i> (<i>Cassia</i>) | Senna | S |
| <i>Senna purpussi</i> (<i>Cassia</i>) | Baja Senna | S |
| <i>Senna wislizenii</i> (<i>Cassia</i>) | Cassia, Shrubby Senna | S |
| <i>Sesuvium verrucosum</i> | Sea Purslane, Ice Plant | Gc |
| <i>Simmondsia chinensis</i> & varieties | Jobba, Goat Nut | S |
| <i>Sophora secundiflora</i> & varieties | Texas Mountain Laurel | T, S |
| <i>Sphaeralcea ambigua</i> & varieties | Globe Mallow | P |
| <i>Sporobolus airoides</i> | Alkali Sacaton | Gr |
| <i>Sporobolus contractus</i> | Spike Dropseed | Gr |
| <i>Sporobolus cryptandrus</i> | Sand Dropseed | Gr |
| <i>Sporobolus flexuosus</i> | Mesa Dropseed | Gr |
| <i>Sporobolus wrightii</i> | Big Sacaton | Gr |
| <i>Stenocereus marginatus</i> (<i>pachycereus</i>) | Mexican Fence Post | A, C |
| <i>Stenocereus thurberi</i> (<i>Lemaireocereus</i>) | Organ Pipe Cactus | C |
| <i>Tagetes lemmoni</i> | Mountain Marigold | P |
| <i>Tecoma capensis</i> (<i>Tecomaria capensis</i>) | Cape Honeysuckle | S, V |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|--|--------------------------------|------------|
| <i>Tecoma stans v. angustata</i> | AZ Yellow Bells | S |
| <i>Tetranneuris acaulis (Hymenoxys)</i> | Angelita Daisy | P |
| <i>Teucrium chamaedrys (prostratum)</i> | Prostrate Germander | Gc |
| <i>Teucrium fruticans</i> | Bush Germander | S |
| <i>Thymophylla pentachaeta (Dyssodia)</i> | Golden Dyssodia, Golden Fleece | Gc |
| <i>Thymophylla acerosa (Dyssodia)</i> | Scrubby Dogweed | Gc |
| <i>Trichloris crinita</i> | Two-feather Trichloris | Gr |
| <i>Trichocereus</i> & varieties | Trichocereus Cactus | C |
| <i>Tridens muticus</i> | Slim Tridens | Gr |
| <i>Trixis californica</i> | Trixis | S |
| <i>Ungnadia speciosa</i> | Mexican Buckeye | T |
| <i>Vauquelinia californica</i> & varieties | Arizona Rosewood | T, S |
| <i>Vauquelinia corymbosa</i> & varieties | Mexican Rosewood | S |
| <i>Verbesina encelioides</i> | Crown Beard | An |
| <i>Viguiera parishii (V deltoidea)</i> | Goldeneye | P |
| <i>Viguiera stenoloba</i> | Skeleton-leaf Goldeneye | S |
| <i>Vitex agnus-castus</i> | Chaste Tree, Monk's Pepper | T, S |
| <i>Washingtonia filifera</i> | California Fan Palm | T |
| <i>Washingtonia robusta</i> | Mexican Fan Palm | T |
| <i>Wedelia texana and cultivars (Zexmenia hispida)</i> | Rough Zexmenia, Devil's River | S |
| <i>Xylosma congestum</i> | Xylosma | T, S |
| <i>Yucca aloifolia</i> | Spanish Bayonet Yucca | A |
| <i>Yucca baccata</i> | Banana Yucca | A |
| <i>Yucca baileyi</i> | Navajo Yucca | A |
| <i>Yucca brevifolia</i> | Joshua Tree | A |
| <i>Yucca constricta</i> | Buckley Yucca | A |
| <i>Yucca elata</i> | Soaptree Yucca | A |
| <i>Yucca faxoniana (carnerosana)</i> | Giant Dagger Yucca | A |
| <i>Yucca filifera (australis)</i> | St. Peter's Palm | A |
| <i>Yucca glauca</i> | Soapweed Yucca | A |
| <i>Yucca harrimaniae</i> | Harriman's Yucca | A |
| <i>Yucca pallida</i> | Paleleaf yucca | A |
| <i>Yucca rigida</i> | Mexican Blue Dagger Yucca | A |
| <i>Yucca rostrata</i> | Beaked Yucca | A |
| <i>Yucca schidigera</i> | Mojave Yucca | A |
| <i>Yucca schottii</i> | Mountain Yucca | A |
| <i>Yucca thompsoniana</i> | Thompson Yucca | A |
| <i>Yucca torreyi</i> | Torrey's Yucca | A |
| <i>Yucca treculeana</i> | Spanish Dagger, Palma Pita | A |
| <i>Yucca whipplei</i> | Our Lord's Candle | A |
| <i>Zauschneria californica</i> & varieties | Hummingbird Trumpet | Gc |
| <i>Zephyranthes spp.</i> & varieties | Rain Lily | Gc, P |
| <i>Zinnia acerosa</i> | Desert Zinnia | P |
| <i>Zinnia grandiflora</i> | Prairie Zinnia | P |
| <i>Zizyphus jujuba</i> | Chinese Date, Common Jujube | T |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

Alphabetical Order by Common Name

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|------------------------------|--|------------|
| Afghan Pine | <i>Pinus eldarica</i> | T |
| African Daisy, Cape Marigold | <i>Dimorphotheca sinuata</i> | An |
| Thread-leaf Agave | <i>Agave filifera</i> | A, Sc |
| Agave | <i>Agave schidigera</i> | A, Sc |
| Parry's Agave | <i>Agave parryi</i> & varieties | A, Sc |
| Agave | <i>Agave celsii</i> | A, Sc |
| Aleppo Pine | <i>Pinus halepensis</i> | T |
| Algerita | <i>Berberis trifoliata</i> | S |
| Alkali Sacaton | <i>Sporobolus airoides</i> | Gr |
| Alligator Bark Juniper | <i>Juniperus deppeana</i> | T |
| Aloe Vera, Medicinal Aloe | <i>Aloe barbadensis</i> | Sc |
| Anacahuita, Texas Olive | <i>Cordia boissieri</i> | T, S |
| Angelita Daisy | <i>Tetaneuris acaulis (Hymenoxys)</i> | P |
| Arizona Cottontop | <i>Digitaria californica</i> | Gr |
| Arizona Rosewood | <i>Vauquelinia californica</i> & varieties | T, S |
| Arizona White Oak | <i>Quercus arizonica</i> | T |
| Arroyo Lupine | <i>Lupinus succulentus</i> | An |
| Australian Pine | <i>Casuarina cunninghamiana</i> | T |
| Australian Saltbush | <i>Atriplex semibaccata</i> | S |
| Australian Willow | <i>Geijera parviflora</i> | T |
| Autumn Glow | <i>Muhlenbergia lindheimeri</i> | Gr |
| AZ Queen of the Night | <i>Peniocereus greggii</i> | C |
| AZ Yellow Bells | <i>Tecoma stans v. angustata</i> | S |
| Baja Fairy Duster | <i>Calliandra californica</i> | S |
| Baja Ruellia | <i>Ruellia peninsularis</i> | S |
| Baja Senna | <i>Senna purpussi (Cassia)</i> | S |
| Bamboo Muhly | <i>Muhlenbergia dumosa</i> | Gr |
| Banana Yucca | <i>Yucca baccata</i> | A |
| Barberry | <i>Berberis harrisoniana</i> | S |
| Barrel Cactus | <i>Ferocactus spp.</i> | C |
| Beaked Yucca | <i>Yucca rostrata</i> | A |
| Bear Grass | <i>Nolina texana</i> | A |
| Beardtongue Penstemon | <i>Penstemon barbatus</i> | P |
| Beargrass | <i>Nolina bigelovii</i> | A |
| Beargrass | <i>Nolina microcarpa</i> | A |
| Beavertail Prickly Pear | <i>Opuntia basilaris</i> | C |
| Belding's Nolina | <i>Nolina beldingii</i> | A |
| Bell Flowering Hesperaloe | <i>Hesperaloe campanulata</i> | A |
| Big galleta grass | <i>Hilaria rigida</i> | Gr |
| Big Sacaton | <i>Sporobolus wrightii</i> | Gr |
| Bitter Condalia | <i>Condalia globosa</i> | T,S |
| Black Brush Acacia | <i>Acacia rigidula</i> | T,S |
| Black Dalea | <i>Dalea frutescens</i> | S |
| Black Spine Agave | <i>Agave macroacantha</i> | A, Sc |
| Black Spine Prickly Pear | <i>Opuntia macrocentra violacea</i> | C |
| Blackfoot Daisy | <i>Melampodium leucanthum</i> | Gc |
| Blanket Flower | <i>Gaillardia pinnatifida</i> | P |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|--------------------------------------|--|------------|
| Blue Chihuahuan Sage | <i>Salvia chamaedryoides</i> | S |
| Blue Elf Aloe | <i>Aloe x 'Blue Elf'</i> | A, Sc |
| Blue Flax | <i>Linum lewisii</i> | An |
| Blue Nolina | <i>Nolina nelsonii</i> | A |
| Blue Palo Verde | <i>Parkinsonia florida (Cercidium floridum)</i> | T |
| Boojum | <i>Fouquieria columnaris</i> | T, A |
| Bottle Tree | <i>Brachychiton populneus</i> | T |
| Bougainvillea | <i>Bougainvillea spp.</i> | S, V |
| Brewer Saltbush | <i>Atriplex lentiformis breweri</i> | S |
| Brittlebush | <i>Encelia farinosa</i> | S |
| Buckley Yucca | <i>Yucca constricta</i> | A |
| Buffalo Grass | <i>Buchloe dactyloides</i> | Gr |
| Bullgrass | <i>Muhlenbergia emersleyi</i> | Gr |
| Bunny Ears Prickly Pear | <i>Opuntia microdasys</i> | C |
| Bush Germander | <i>Teucrium fruticans</i> | S |
| Bush Lantana | <i>Lantana camara</i> and cultivars | S |
| Bush Morning Glory | <i>Convolvulus cneorum</i> | S, Gc |
| Bush muhly | <i>Muhlenbergia porteri</i> | Gr |
| Butterfly Agave | <i>Agave potatorum</i> | A, Sc |
| California Brittlebush (green) | <i>Encelia californica</i> | S |
| California Fan Palm | <i>Washingtonia filifera</i> | T |
| California Pepper Tree | <i>Schinus molle</i> | T |
| California Poppy | <i>Eschscholtzia californica</i> | An |
| Calylophus, Yellow Evening Primrose | <i>Calylophus hartwegii</i> & varieties | Gc |
| Canary Island Date Palm | <i>Phoenix canariensis</i> | T |
| Cane Beardgrass, Cane Bluestem | <i>Bothriochloa barbinodis</i> | Gr |
| Canyon Penstemon, Mohave Beardtongue | <i>Penstemon pseudospectabilis</i> | P |
| Cape Aloe | <i>Aloe ferox</i> | Sc |
| Cape Honeysuckle | <i>Tecoma capensis (Tecomaria capensis)</i> | S, V |
| Cardinal Penstemon | <i>Penstemon cardinalis</i> | P |
| Carob, St. John's Bread Tree | <i>Ceratonia siliqua</i> | T |
| Cascalote | <i>Caesalpinia cacalaco</i> | S |
| Cassia, Shrubby Senna | <i>Senna wislizenii (Cassia)</i> | S |
| Catclaw Acacia | <i>Acacia greggii</i> | T,S |
| Cat's Claw Vine | <i>Macfadyena unguis-cati</i> | V |
| Century Plant | <i>Agave americana</i> & varieties | A, Sc |
| Chahuiqui | <i>Agave multiflifera</i> | A, Sc |
| Chaste Tree, Monk's Pepper | <i>Vitex agnus-castus</i> | T,S |
| Chia | <i>Salvia columbariae</i> | An |
| Chihuahuan Primrose | <i>Oenothera stubbei</i> | Gc, P |
| Chilean Palo Verde | <i>Geoffroea (Gourleia) decorticans</i> | T |
| Chinese Date, Common Jujube | <i>Zizyphus jujuba</i> | T |
| Chinese Pistache | <i>Pistacia chinensis</i> | T |
| Chinquapin Oak | <i>Quercus muhlenbergia</i> | T |
| Chir Pine | <i>Pinus roxburghii</i> | T |
| Chocolate Flower | <i>Berlandiera lyrata</i> | P |
| Chuparosa | <i>Justicia californica</i> and cultivars (<i>Beloperone</i>) | S |
| Cleveland Sage | <i>Salvia clevelandii</i> | S |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|---|--|------------|
| Coast Beefwood | <i>Casuarina stricta</i> | T |
| Common Trumpet Creeper | <i>Campsis radicans</i> | V |
| Condalia, Mexican Pincushion | <i>Condalia warnockii v. kearneyana</i> | S |
| Cork Oak | <i>Quercus suber</i> | T |
| Cow's Horn Agave | <i>Agave bovicornuta</i> | A, Sc |
| Creosote Bush, Greasewood | <i>Larrea tridentata (divaricata)</i> | S |
| Croceum, Ice Plant | <i>Malephora crocea</i> | Gc, Sc |
| Crown Beard | <i>Verbesina encelioides</i> | An |
| Curly mesquite | <i>Hilaria berlanderi</i> | Gr |
| Cutleaf Penstemon | <i>Penstemon baccharifolius</i> | P |
| Dalea Bicolor | <i>Dalea bicolor & varieties</i> | S |
| Damianita Daisy | <i>Chrysactinia mexicana</i> | S |
| Date Palm | <i>Phoenix dactylifera</i> | T |
| Deer grass | <i>Muhlenbergia rigens</i> | Gr |
| Desert Bluebells, Desert Canterbury Bells | <i>Phacelia campanularia</i> | An |
| Desert Broom | <i>Baccharis sarothroides</i> and hybrids (male varieties only) | S |
| Desert Daisy | <i>Bahia absinthifolia</i> | P |
| Desert Deerweed, Deer Vetch | <i>Lotus rigidus</i> | Gc, P |
| Desert Four O'clock | <i>Mirabilis multiflora</i> | Gc, P, V |
| Desert Grape Ivy | <i>Cissus trifoliata v. incisa</i> | V |
| Desert Gum | <i>Eucalyptus rudis</i> | T |
| Desert Honeysuckle | <i>Anisacanthus thurberi</i> | S |
| Desert Ironwood, Tesota | <i>Olneya tesota</i> | T |
| Desert Lavender | <i>Hyptis albida (emoryii)</i> | S |
| Desert Lupine | <i>Lupinus sparsiflorus</i> | An |
| Desert Marigold | <i>Baileya multiradiata</i> | P |
| Desert Milkweed | <i>Asclepias subulata</i> | P |
| Desert Museum Palo Verde | <i>Parkinsonia hybrid 'Desert Museum'</i> | T |
| Desert Saltbush | <i>Atriplex polycarpa</i> | S |
| Desert Senna | <i>Senna covesii (Cassia)</i> | P |
| Desert Thorn | <i>Lycium pallidum</i> | S |
| Desert Willow | <i>Chilopsis linearis</i> and cultivars | T,S |
| Desert Wolfberry | <i>Lycium andersonii</i> | S |
| Desert Zinnia | <i>Zinnia acerosa</i> | P |
| Dusty Miller | <i>Centaurea cineraria</i> | P |
| Dusty Miller, Silver Plant | <i>Senecio cineraria</i> | P |
| Dwarf Ruellia | <i>Ruellia brittoniana & varieties</i> | Gc |
| Easter Lily, Sea Urchin Cactus | <i>Echinopsis spp. & varieties</i> | C |
| Elephant Food | <i>Portulacaria afra</i> | Sc |
| Emory Oak | <i>Quercus emoryi</i> | T |
| Emu Bush | <i>Eremophila decipiens</i> | S |
| Emu Bush | <i>Eremophila laanii 'pink beauty'</i> | S |
| Engelmann's Prickly Pear | <i>Opuntia engelmannii</i> | C |
| Ephedra, Mormon Tea | <i>Ephedra nevadensis</i> | S |
| Escarpment Live Oak | <i>Quercus fusiformis</i> | T |
| Eucalyptus | <i>Eucalyptus formanii</i> | T |
| Euphorbia | <i>Euphorbia myrsinites</i> | Gc |
| Evergreen Sumac | <i>Rhus virens</i> | S |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|----------------------------------|---|------------|
| Fairy Duster, False Mesquite | <i>Calliandra eriophylla</i> | S |
| False Grama | <i>Cathestecum erectum</i> | Gr |
| Feather Tree | <i>Lysiloma watsonii</i> var. <i>thornberi</i> | T,S |
| Fendler Penstemon | <i>Penstemon fendleri</i> | P |
| Fire Wheel, Blanket Flower | <i>Gaillardia pulchella</i> | An |
| Firecracker Bush | <i>Justicia spicigera</i> | S |
| Firecracker Penstemon | <i>Penstemon eatoni</i> | P |
| Flame Anisacanthus | <i>Anisacanthus quadrifidus</i> & varieties | S |
| Flattop Buckwheat | <i>Eriogonum fasciculatum</i> v. <i>poliofolium</i> | S |
| Fluffgrass | <i>Erioneuron pulchellum</i> | Gr |
| Four-Wing Saltbush | <i>Atriplex canescens</i> | S |
| Foxglove Penstemon | <i>Penstemon cobaea</i> | P |
| Fragrant Bush, Bee Bush | <i>Aloysia gratissima</i> | S |
| Fruitless non-pollinating Olive | <i>Olea europaea</i> 'Swan Hill', 'Wilsoni' | T |
| Gambel Oak | <i>Quercus gambelii</i> | T, S |
| Gazania | <i>Gazania rigens</i> & varieties | Gc |
| Ghost Gum | <i>Eucalyptus papuana</i> | T |
| Giant Dagger Yucca | <i>Yucca faxoniana</i> (<i>carnerosana</i>) | A |
| Giant Hesperaloe | <i>Hesperaloe funifera</i> | A |
| Globe Mallow | <i>Sphaeralcea ambigua</i> & varieties | P |
| Golden Barrel | <i>Echinocactus grusonii</i> | C |
| Golden Dyssodia, Golden Fleece | <i>Thymophylla pentachaeta</i> (<i>Dyssodia</i>) | Gc |
| Golden Flower Agave | <i>Agave chrysantha</i> | A, Sc |
| Golden Leadball | <i>Leucaena retusa</i> | T |
| Goldeneye | <i>Viguiera parishii</i> (<i>V deltoidea</i>) | P |
| Goodding Verbena | <i>Glandularia gooddingii</i> (<i>Verbena</i>) | P |
| Gopher Plant | <i>Euphorbia rigida</i> (<i>biglandulosa</i>) | A, Sc |
| Gossypium, Wild Cotton | <i>Gossypium harknessii</i> | S |
| Gramma Grass | <i>Bouteloua</i> spp. | Gr |
| Green Cassia | <i>Cassia nemophila</i> (<i>C. eremophila</i>) | S |
| Green Desert Spoon | <i>Dasyllirion acrotriche</i> | A |
| Green Desert Spoon | <i>Dasyllirion leiophyllum</i> | A |
| Green Desert Spoon | <i>Dasyllirion texanum</i> | A |
| Green Santolina | <i>Santolina virens</i> | S, Gc |
| Green Sprangle-Top | <i>Leptochloa dubia</i> | Gr |
| Ground Morning Glory | <i>Convolvulus mauritanicus</i> | Gc |
| Guajillo | <i>Acacia berlandieri</i> | T, S |
| Guayacan | <i>Guaiacum coulteri</i> | T, S |
| Harriman's Yucca | <i>Yucca harrimaniae</i> | A |
| Havard Agave | <i>Agave havardiana</i> | A, Sc |
| Heavenly Bamboo | <i>Nandina domestica</i> & varieties | S |
| Hedgehog, Rainbow Cactus | <i>Echinocereus</i> spp. | C |
| Hill Country Penstemon | <i>Penstemon triflorus</i> | P |
| Holly Agave; Center Stripe Agave | <i>Agave lophantha</i> (<i>univittata</i>) | A, Sc |
| Holly Oak | <i>Quercus ilex</i> | T |
| Hopbush | <i>Dodonaea viscosa</i> & varieties | S |
| Huachuca Agave | <i>Agave parryi</i> var. <i>huachucensis</i> | A, Sc |
| Hummingbird Trumpet | <i>Zauschneria californica</i> & varieties | Gc |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|-----------------------------------|--|------------|
| Ice Plant | <i>Carpobrotus edulis</i> (<i>Mesembryanthemum edulis</i>) | Gc, Sc |
| Indian Fig | <i>Opuntia ficus-indica</i> | C |
| Indian Mallow | <i>Abutilon palmeri</i> | S |
| Indian Ricegrass | <i>Achnatherum hymenoides</i> (<i>Oryzopsis hymenoides</i>) | Gr |
| Indian Wheat | <i>Plantago</i> spp. | An |
| Indigo Bush | <i>Dalea pulchra</i> | S |
| Indigo Bush, Dalea | <i>Dalea versicolor</i> v. <i>sessilis</i> | S |
| Italian Stone Pine | <i>Pinus pinea</i> | T |
| Jatropha | <i>Jatropha dioica</i> | S |
| Jojoba, Goat Nut | <i>Simmondsia chinensis</i> & varieties | S |
| Joshua Tree | <i>Yucca brevifolia</i> | A |
| Juniper | <i>Juniperus chinensis</i> and cultivars | T |
| Karoo Bush | <i>Pentzia incana</i> | Gc |
| Kidneywood | <i>Eysenhardtia orthocarpa</i> | T |
| Knife-Leaf Acacia | <i>Acacia cultriformis</i> | T, S |
| Lady Banks Rose, Tombstone Rose | <i>Rosa banksiae</i> | S, Gc, V |
| Large Fendler Penstemon | <i>Penstemon grandiflorus</i> | P |
| Large-flowered Blue Star | <i>Amsonia grandiflora</i> | S, P |
| Lavendar Spice | <i>Poliomintha maderensis</i> | S |
| Lavender Cotton | <i>Santolina chamaecyparissus</i> | S, Gc |
| Lemon Bottlebrush | <i>Callistemon citrinus</i> | T, S |
| Limberbush | <i>Jatropha cardiophylla</i> | S |
| Lindheimer's Nolina | <i>Nolina lindheimeriana</i> | A |
| Lippia | <i>Phyla nodiflora</i> | Gc |
| Little Beardtongue | <i>Penstemon subulatus</i> | P |
| Littleleaf Ash | <i>Fraxinus greggii</i> | T, S |
| Littleleaf Cordia | <i>Cordia parvifolia</i> | S |
| Littleleaf or Foothill Palo Verde | <i>Parkinsonia microphylla</i> (<i>Cercidium microphyllum</i>) | T |
| Littleleaf Sumac | <i>Rhus microphylla</i> | S |
| Live Oak | <i>Quercus virginiana</i> | T |
| Lupine | <i>Lupinus arizonicus</i> | An |
| Mangle Dulce | <i>Maytenus phyllanthoides</i> | S |
| Mealy Cup Sage, Texas Violet | <i>Salvia farinacea</i> | S |
| Mediterranean Fan Palm | <i>Chamaerops humilis</i> | T |
| Mesa Dropseed | <i>Sporobolus flexuosus</i> | Gr |
| Mescal Ceniza, Blue Century Plant | <i>Agave colorata</i> | A, Sc |
| Mescal Pelon | <i>Agave pelona</i> | A, Sc |
| Mexican Bird of Paradise (yellow) | <i>Caesalpinia mexicana</i> (<i>Poinciana</i>) | S |
| Mexican Blue Dagger Yucca | <i>Yucca rigida</i> | A |
| Mexican Blue Palm | <i>Brahea</i> (<i>Erythea</i>) <i>armata</i> | T |
| Mexican Blue Penstemon | <i>Penstemon amphorellae</i> | P |
| Mexican Buckeye | <i>Ungnadia speciosa</i> | T |
| Mexican Ebony | <i>Havardia mexicana</i> (<i>Pithecellobium mexicanum</i>) | T |
| Mexican Elderberry | <i>Sambucus nigra</i> spp. <i>Cerulea</i> (<i>S.mexicana</i>) | T |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|-----------------------------------|--|------------|
| Mexican Evening Primrose | <i>Oenothera berlandieri (speciosa)</i> | Gc, P |
| Mexican Fan Palm | <i>Washingtonia robusta</i> | T |
| Mexican Feather Grass | <i>Nassella tenuissima</i> | Gr |
| Mexican Fence Post | <i>Stenocereus marginatus (pachycereus)</i> | A, C |
| Mexican Gold Poppy | <i>Eschscholtzia mexicana</i> | An |
| Mexican Plume | <i>Justicia fulvicoma</i> | S |
| Mexican Redbud | <i>Cercis canadensis v. mexicana</i> | T, S |
| Mexican Rosewood | <i>Vauquelinia corymbosa & varieties</i> | S |
| Mexican Tree Ocotillo | <i>Fouquieria macdougalii</i> | S, A |
| Mock Orange | <i>Pittosporum tobira & cultivars</i> | S |
| Mohave Sage | <i>Salvia mohavensis</i> | S |
| Mojave Penstemon, Royal Penstemon | <i>Penstemon spectabilis</i> | P |
| Mojave Sage | <i>Salvia dorrii v. dorrii</i> | S |
| Mojave Yucca | <i>Yucca schidigera</i> | A |
| Monterey Oak | <i>Quercus polymorpha</i> | T |
| Moss Verbena | <i>Glandularia tenuisecta 'Edith' (Verbena tenuisecta 'Edith')</i> | Gc, P |
| Moss Verbena, Rock Verbena | <i>Glandularia pulchella (V. tenuisecta) (V. tenera)</i> | P |
| Mountain Agave | <i>Agave montana</i> | A, Sc |
| Mountain Marigold | <i>Tagetes lemmoni</i> | P |
| Mountain Yucca | <i>Yucca schottii</i> | A |
| Mt. Atlas Pistache | <i>Pistacia atlantica</i> | T |
| Mulga | <i>Acacia aneura</i> | T |
| Murphy Agave | <i>Agave murpheyi</i> | A, Sc |
| Narrow leaf Agave | <i>Agave angustifolia v. marginata</i> | A, Sc |
| Native Dicliptera | <i>Dicliptera resupinata</i> | P |
| Native Fleabane | <i>Eriogeron divergens</i> | Gc, An, P |
| Navajo Yucca | <i>Yucca baileyi</i> | A |
| Needle-leaf Agave, Espidine | <i>Agave striata</i> | A, Sc |
| Netleaf or Western Hackberry | <i>Celtis reticulata</i> | T |
| Night Flowering Hesperaloe | <i>Hesperaloe nocturna</i> | A |
| Notable Acacia | <i>Acacia notabilis</i> | S |
| Ocahui Agave | <i>Agave ocahui</i> | A, Sc |
| Ocotillo | <i>Fouquieria splendens</i> | A |
| Octopus Agave | <i>Agave vilmoriniana</i> | A, Sc |
| Old Man Saltbush | <i>Atriplex nummularia</i> | S |
| Oleander | <i>Nerium oleander & varieties</i> | S |
| Organ Pipe Cactus | <i>Stenocereus thurberi (Lemaireocereus)</i> | C |
| Our Lord's Candle | <i>Yucca whipplei</i> | A |
| Paleleaf yucca | <i>Yucca pallida</i> | A |
| Palmer Agave | <i>Agave palmeri</i> | A, Sc |
| Palmer Penstemon | <i>Penstemon palmeri</i> | P |
| Palo Blanco | <i>Acacia willardiana</i> | T |
| Palo Brea | <i>Parkinsonia praecox (Cercidium)</i> | T |
| Paper Flower | <i>Psilostrophe tagetina</i> | P |
| Paper Flower | <i>Psilostrophe cooperi</i> | P |
| Pappus Grass | <i>Pappophorum mucronulatum</i> | Gr |
| Parras Agave | <i>Agave parrasana</i> | A, Sc |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|--------------------------------------|--|------------|
| Parry Penstemon | <i>Penstemon parryi</i> | P |
| Parry's Beargrass | <i>Nolina parryi</i> | A |
| Partridge Breast Aloe | <i>Aloe variegata</i> | Sc |
| Passion Flower | <i>Passiflora foetida</i> | V |
| Pearl Bluebush | <i>Maireana sedifolia</i> | S |
| Pencilleaf Acacia | <i>Acacia stenophylla</i> | T |
| Peruvian Cereus, Hedge Cactus | <i>Cereus hildmannianus (C. peruvianus)</i> | C |
| Peruvian Verbena | <i>Glandularia peruviana (Verbena peruviana)</i> | P |
| Pincushion, Fishhook Cactus | <i>Mamillaria spp.</i> | C |
| Pine Leaf Milkweed | <i>Asclepias linaria</i> | S |
| Pineapple Guava | <i>Feijoa sellowiana</i> | T,S |
| Pinecone Prickly Pear | <i>Opuntia turpinii</i> | C |
| Pineleaf Penstemon | <i>Penstemon pinifolius</i> | P |
| Pink or White Orchid Tree | <i>Bauhinia lunaroides</i> | S |
| Pink Plains Penstemon | <i>Penstemon ambiguus</i> | P |
| Piñon Nut Pine | <i>Pinus edulis</i> | T |
| Pistache hybrid tereb. x integerrima | <i>Pistacia atlantica x integerrima</i> | T |
| Pistachio | <i>Pistacia vera</i> | T |
| Plains Lovegrass | <i>Eragrostis intermedia</i> | Gr |
| Pomegranate | <i>Punica granatum & varieties</i> | T,S |
| Prairie Sagebrush, Wormwood | <i>Artemisia ludoviciana</i> | S, Gc |
| Prairie Zinnia | <i>Zinnia grandiflora</i> | P |
| Prostrate Acacia | <i>Acacia redolens</i> | S, Gc |
| Prostrate Germander | <i>Teucrium chamaedrys (prostratum)</i> | Gc |
| Pulque Agave, Salm's Agave | <i>Agave salmiana ssp. Ferox</i> | A, Sc |
| Purple Aster | <i>Aster tanacetifolius</i> | An |
| Purple Aster | <i>Aster bigelovii</i> | An |
| Purple Fountain Grass | <i>Pennisetum setaceum 'Cupreum'</i> | Gr |
| Purple Mexican Bush Sage | <i>Salvia leucantha</i> | S |
| Purple Muhlenbergia | <i>Muhlenbergia rigida</i> | Gr |
| Purple Myoporum | <i>Myoporum parvifolium</i> | Gc |
| Purple Orchid Vine | <i>Mascagnia lilacina</i> | V |
| Purple Pancake | <i>Opuntia santa rita 'Tubac'</i> | C |
| Purple Three-awn | <i>Aristida purpurea</i> | Gr |
| Pyracantha (red berried types) | <i>Pyracantha & varieties</i> | S |
| Quail Bush | <i>Atriplex lentiformis</i> | S |
| Queen Victoria Agave | <i>Agave victoriae-reginae & varieties</i> | A, Sc |
| Queen's Wreath | <i>Antigonon leptopus</i> | V |
| Rain Lily | <i>Zephyranthes spp. & varieties</i> | Gc, P |
| Red Bird of Paradise | <i>Caesalpinia pulcherrima</i> | S |
| Red Calliandra, Baja Fairy Duster | <i>Calliandra peninsularis</i> | S |
| Red Chihuahan Sage, Autumn Sage | <i>Salvia greggii</i> | S |
| Red Jacobinia | <i>Justicia candicans</i> | S |
| Red River Gum | <i>Eucalyptus camaldulensis</i> | T |
| Red Spike Ice Plant | <i>Cephalophyllum aestonii 'Red Spike'</i> | Gc, Sc |
| Red Yucca, Yellow Yucca | <i>Hesperaloe parviflora & varieties</i> | A |
| Regal Mist | <i>Muhlenbergia capillaris</i> | Gr |
| Rocky Mountain Penstemon | <i>Penstemon strictus</i> | P |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|--|---|------------|
| Rocky Point Ice Plant | <i>Malephora lutea</i> | Gc, P |
| Rosemary | <i>Rosmarinus officinalis</i> & varieties | S |
| Rosewood | <i>Dalbergia sissoo</i> | T |
| Rough Zexmenia, Devil's River | <i>Wedelia texana</i> and cultivars (<i>Zexmenia hispida</i>) | S |
| Rough-barked Arizona Cypress | <i>Cupressus arizonica</i> & varieties | T |
| Rough-leaved Agave | <i>Agave scabra</i> | A, Sc |
| Ruschia | <i>Ruschia uncinatus</i> | Gc, Sc |
| Sabine Juniper | <i>Juniperus sabina</i> | S |
| Sacred Datura, Jimson Weed, Thorn Apple | <i>Datura wrightii</i> | Gc |
| Saguaro | <i>Carnegiea gigantea</i> | C |
| Salt River Mallet | <i>Eucalyptus sargentii</i> | T |
| Sand Dropseed | <i>Sporobolus cryptandrus</i> | Gr |
| Sandpaper Verbena | <i>Glandularia rigida</i> (<i>Verbena rigida</i>) | Gc, P |
| Santa Rita Prickly Pear | <i>Opuntia violacea</i> 'Santa Rita' | C |
| Scarlet Flax | <i>Linum grandiflorum</i> 'Rubrum' | An |
| Screwbean Mesquite | <i>Prosopis pubescens</i> | T |
| Scrubby Dogweed | <i>Thymophylla acerosa</i> (<i>Dyssodia</i>) | Gc |
| Sea Purslane, Ice Plant | <i>Sesuvium verrucosum</i> | Gc |
| Senita | <i>Lophocereus schottii</i> | A, C |
| Senna | <i>Senna lindheimeriana</i> (<i>Cassia</i>) | S |
| Shaw's Agave | <i>Agave shawii</i> | A, Sc |
| Shrub Live Oak | <i>Quercus turbinella</i> | S |
| Shrubby Bulbine | <i>Bulbine frutescens</i> and cultivars | Sc |
| Silver Dollar Gum | <i>Eucalyptus polyanthemus</i> | T |
| Silver Gimlet | <i>Eucalyptus campaspe</i> | T |
| Silvery Cassia | <i>Cassia phyllodinea</i> | S |
| Singleleaf Piñon Pine | <i>Pinus monophylla</i> | T |
| Skeleton-leaf Goldeneye | <i>Viguiera stenoloba</i> | S |
| Slim Tridens | <i>Tridens muticus</i> | Gr |
| Slipper Flower, Lady's Slipper, Candelilla | <i>Pedilanthus macrocarpus</i> | A, Sc |
| Small Flowered Agave | <i>Agave parviflora</i> | A, Sc |
| Smooth Agave | <i>Agave desmettiana</i> & varieties | A, Sc |
| Smooth Bark Cypress | <i>Cupressus glabra</i> | T |
| Snakeweed | <i>Gutierrezia sarothrae</i> | S,P |
| Soapberry | <i>Sapindus saponaria drummondii</i> | T |
| Soapberry | <i>Sapindus saponaria saponaria</i> | T |
| Soaptree Yucca | <i>Yucca elata</i> | A |
| Soapweed Yucca | <i>Yucca glauca</i> | A |
| Sonoran Desert Ruellia | <i>Ruellia californica</i> | S |
| Sonoran Palo Verde | <i>Parkinsonia x sonorae</i> (<i>Cercidium</i>) | T |
| Sotol, Desert Spoon | <i>Dasyilirion wheeleri</i> | A |
| South American Mesquite | <i>Prosopis hybrid</i> | T |
| Southwestern Sweet Acacia | <i>Acacia farnesiana</i> (<i>smalli</i>) | T,S |
| Spanish Bayonet Yucca | <i>Yucca aloifolia</i> | A |
| Spanish Dagger, Palma Pita | <i>Yucca treculeana</i> | A |
| Spider Agave | <i>Agave bracteosa</i> | A, Sc |
| Spike Dropseed | <i>Sporobolus contractus</i> | Gr |
| Spiny or Desert Hackberry | <i>Celtis pallida</i> | S |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|--|--|------------|
| St. Peter's Palm | <i>Yucca filifera (australis)</i> | A |
| Staghorn Cholla | <i>Cylindropuntia versicolor (Opuntia)</i> | C |
| Sugar Bush, Sugar Sumac | <i>Rhus ovata</i> | S |
| Summertime Blue | <i>Eremophila hybrid</i> | S |
| Superb Penstemon, Santa Rita Penstemon | <i>Penstemon superbus</i> | P |
| Swamp Mallee | <i>Eucalyptus spathulata</i> | T |
| Sweet Bush, Chuckwalla's Delight | <i>Bebbia juncea</i> | S,P |
| Tanglehead | <i>Heteropogon contortus</i> | Gr |
| Tansy Phacelia | <i>Phacelia tanacetifolia</i> | An |
| Teddy Bear Cholla | <i>Cylindropuntia bigelovii (Opuntia)</i> | C |
| Tenaza | <i>Havardia pallens (Pithecellobium pallens)</i> | T |
| Texas Honey Mesquite | <i>Prosopis glandulosa & varieties</i> | T |
| Texas Ebony | <i>Ebenopsis ebano (Pithecellobium flexicaule)</i> | T |
| Texas Firecracker Bush | <i>Hamelia patens</i> | S |
| Texas Kidneywood | <i>Eysenhardtia texana</i> | T |
| Texas Mountain Laurel | <i>Sophora secundiflora & varieties</i> | T, S |
| Texas Ranger | <i>Leucophyllum spp. & varieties</i> | S |
| Texas Red Oak | <i>Quercus buckleyi (Q texana)</i> | T |
| Texas Rose, Wright's Penstemon | <i>Penstemon wrightii</i> | P |
| Thompson Broom | <i>Baccharis hybrid 'Starn'</i> | Gc |
| Thompson Yucca | <i>Yucca thompsoniana</i> | A |
| Thornbush | <i>Lycium exsertum</i> | S |
| Three Leaf Sumac, Skunk, Bush | <i>Rhus trilobata & varieties</i> | S |
| Tiger Aloe, Mediterranean Aloe | <i>Aloe saponaria</i> | Sc |
| Tiny Capsule Eucalyptus, Coolibah | <i>Eucalyptus microtheca</i> | T |
| Tobosa grass | <i>Hilaria mutica</i> | Gr |
| Toothless Desert Spoon | <i>Dasyilirion quadrangulatum, (D.longissimum)</i> | A |
| Torrey's Yucca | <i>Yucca torreyi</i> | A |
| Totem Pole Cactus | <i>Lophocereus schotti, ssp. Monstrosus</i> | A, C |
| Trailing African Daisy | <i>Osteospermum fruticosum</i> | Gc |
| Trailing Indigo Bush | <i>Dalea greggii</i> | Gc |
| Trailing Lantana | <i>Lantana montevidensis</i> | Gc |
| Tree Beargrass | <i>Nolina matapensis</i> | A |
| Triangle-leaf Bursage | <i>Ambrosia deltoidea (Franseria)</i> | S |
| Trichocereus Cactus | <i>Trichocereus & varieties</i> | C |
| Trident, Carl Nielson Sage | <i>Salvia hybrid (S.dorrii x S.clevelandii x S.mojavensis)</i> | S |
| Trixis | <i>Trixis californica</i> | S |
| True Myrtle, Roman Myrtle | <i>Myrtus communis & varieties</i> | S |
| Turpentine Bush | <i>Ericameria laricifolia & cultivars (Haplopappus laricifolius)</i> | S |
| Twin-flowered Agave | <i>Agave geminiflora-solitary</i> | A, Sc |
| Twisted Acacia | <i>Acacia schaffneri</i> | T |
| Two-feather Trichloris | <i>Trichloris crinita</i> | Gr |
| Utah Agave | <i>Agave utahensis</i> | A, Sc |
| Valentine Emu Bush | <i>Eremophila maculata 'valentine'</i> | S |

Tucson Active Management Area Low Water Use/Drought Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|-------------------------------------|--|------------|
| Velvet Mesquite | <i>Prosopis velutina (juliflora)</i> | T |
| Velvetpod | <i>Mimosa dysocarpa</i> | S |
| Wax Plant, Candelilla | <i>Euphorbia antisyphilitica</i> | S |
| Waxleaf Acacia | <i>Acacia crasspedocarpa</i> | T, S |
| Weber Agave | <i>Agave weberi</i> | A, Sc |
| Weeping Wattle | <i>Acacia saligna</i> | T |
| Whales Tongue Agave | <i>Agave ovatifolia</i> | A, Sc |
| White Ball Acacia | <i>Acacia angustissima</i> | S |
| White Bursage | <i>Ambrosia dumosa (Franseria)</i> | S |
| White or Tufted Evening Primrose | <i>Oenothera caespitosa</i> | Gc, P |
| White Iron Bark | <i>Eucalyptus leucoxylon (rosea)</i> | T |
| Whitethorn, Mescat Acacia | <i>Acacia constricta</i> | T, S |
| Willow Acacia | <i>Acacia salicina</i> | T |
| Willow Pittosporum | <i>Pittosporum phillyraeoides</i> | T |
| Winkler Gaillardia | <i>Gaillardia aestivalis spp. winkleri</i> | P |
| Wolfberry, Tomatillo | <i>Lycium fremontii</i> | S |
| Wooly Butterfly Bush | <i>Buddleia marrubifolia</i> | S |
| Wormwood Senna, Feathery Cassia | <i>Cassia artemisioides (Senna)</i> | S |
| Wright Buckwheat | <i>Eriogonum wrightii</i> | S |
| Wright's Bee Bush | <i>Aloysia wrightii</i> | S |
| Xylosma | <i>Xylosma congestum</i> | T, S |
| Yellow Bird of Paradise | <i>Caesalpinia gilliesii (Poinciana)</i> | S |
| Yellow Dalea | <i>Dalea capitata</i> | Gc |
| Yellow Hibiscus, Coulter's Hibiscus | <i>Hibiscus coulteri</i> | S |
| Yellow Morning Glory Vine | <i>Merremia aurea</i> | V |
| Yellow Orchid Vine | <i>Callaeum macropterum (Mascagnia macroptera)</i> | V |